


amtico
form



Natural Character

Wood and stone designs
Authentic tones and colours
0.7 mm wear layer

Form



MADE IN
BRITAIN

Natural Character	04
Planks & Tiles	08
Wood	10
Stone	26
Laying Patterns	32
Stripping	40
Projects	42
Performance	48
Product Availability	49
Accreditations	50

Contents

Natural Character

0.7mm

WEAR
LAYER

A thicker wear layer means higher durability, for a floor that stands the test of time.



ANTIMICROBIAL
PROTECTION

Amtico Form products are specified as standard with integral antimicrobial protection.

19dB

ACOUSTIC
BACKING

Acoustic backing can be specified on standard planks and tiles and Large & Small Parquet without stripping.



AMTICO
BIO

Available to specify with 46% bio-attributed content.

With careful attention to every grain, knot and natural tone, Form's commitment to respectfully replicating real woods and stones creates an organic authenticity in any commercial space.



COMMERCIAL
WARRANTY

Form



Planks & Tiles

Enhance the flow
across a space with
our three easy-to-use
plank and tile sizes.

184.2 x 1219.2 mm

Falun Oak
FS7W6060



152.4 x 914.4 mm

Foreshore Oak
FS7W6120



304.8 x 609.6 mm

Ammonite
FS7S4800





Wood

Never blend into the woodwork.
Naturalistic appearance. Authentic grain. Contemporary
colours, in varied plank sizes. Form brings the warmth
and character of real wood, to any interior.



Otta Oak – Stripwood

Available plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm

Warm Oaks

ALSO AVAILABLE WITH

19dB

ACOUSTIC
BACKING



AMTICO
BIO

Boardwalk Oak
FS7W8600



Surface Texture
Artisan Wood Emboss

Otta Oak
FS7W6140



Surface Texture
Artisan Wood Emboss

Rural Oak
FS7W5950



Surface Texture
Artisan Wood Emboss

Carved Oak
FS7W5960



Surface Texture
Artisan Wood Emboss

Bureau Oak
FS7W5970



Surface Texture
Artisan Wood Emboss



COMMERCIAL
WARRANTY

0.7mm

WEAR
LAYER



ANTIMICROBIAL
PROTECTION

Fawn Oak

FS7W8480



Surface Texture
Artisan Wood Emboss

Amber Oak

FS7W8550



Surface Texture
Artisan Wood Emboss

Alta Oak

FS7W6050



Surface Texture
Artisan Wood Emboss

Esker Oak

FS7W6150



Surface Texture
Artisan Wood Emboss

Furrowed Oak

FS7W6070



Surface Texture
Artisan Wood Emboss

Order your
free samples


Explore designs, hues
and textures with our
tactile sample swatches.



Achieve this floor ▼



Plank
Furrowed Oak



Laying pattern
Stripwood

Explore patterns and
colours for your project
with our Room Visualiser.
amtico.com



Brae Oak – Stripwood

Available plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm

Neutral Oaks

ALSO AVAILABLE WITH

19dB

ACOUSTIC
BACKING



AMTICO
BIO

Laholm Oak
FS7W6230



Surface Texture
Natural Wood Emboss

Brae Oak
FS7W6160



Surface Texture
Artisan Wood Emboss

Flora Oak
FS7W6100



Surface Texture
Natural Wood Emboss

Matlo Oak
FS7W6130



Surface Texture
Artisan Wood Emboss

Skara Oak
FS7W6090



Surface Texture
Natural Wood Emboss



12
YEAR

COMMERCIAL
WARRANTY

0.7mm


WEAR
LAYER



ANTIMICROBIAL
PROTECTION

Cowrie Oak


FS7W8590



Surface Texture
Artisan Wood Emboss

Foreshore Oak


FS7W6120



Surface Texture
Artisan Wood Emboss

Shoal Oak


FS7W6170



Surface Texture
Natural Wood Emboss

Larvik Oak


FS7W6080



Surface Texture
Artisan Wood Emboss

Falun Oak

FS7W6060



Surface Texture
Artisan Wood Emboss


Explore patterns and colours for your project with our Room Visualiser at amtico.com



Achieve this floor ▼



Plank
Larvik Oak



Laying pattern
Stripwood

Available plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm

Cool Oaks

ALSO AVAILABLE WITH

19_{dB}

ACOUSTIC
BACKING



AMTICO
BIO

Seaboard Oak
FS7W8570



Surface Texture
Artisan Wood Emboss

Shell Oak
FS7W8580



Surface Texture
Artisan Wood Emboss

Keel Oak
FS7W6110



Surface Texture
Artisan Wood Emboss

Bergen Oak
FS7W8510



Surface Texture
Artisan Wood Emboss

Native Grey Wood
FS7W9060



Surface Texture
Artisan Wood Emboss



Keel Oak – Herringbone Plank

Order your
free samples


Explore designs, hues
and textures with our
tactile sample swatches.



Achieve this floor ▼



Plank
Strand Oak



Laying pattern
Small Parquet
FP124

Explore patterns and
colours for your project
with our Room Visualiser.
amtico.com



COMMERCIAL
WARRANTY

0.7mm

WEAR
LAYER



ANTIMICROBIAL
PROTECTION

Dusted Oak
FS7W8520



Surface Texture
Artisan Wood Emboss

Strand Oak
FS7W8620



Surface Texture
Artisan Wood Emboss

Gotland Oak
FS7W8470



Surface Texture
Artisan Wood Emboss

Valley Oak
FS7W9040



Surface Texture
Artisan Wood Emboss

Burnished Timber
FS7W9080



Surface Texture
Artisan Wood Emboss

Available plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm

Saltus Oaks

ALSO AVAILABLE WITH

19_{dB}

ACOUSTIC
BACKING



AMTICO
BIO



COMMERCIAL
WARRANTY

0.7_{mm}

WEAR
LAYER



ANTIMICROBIAL
PROTECTION

Brambly Oak
FS7W6180



Surface Texture
Natural Wood Emboss

Hanningfield Oak
FS7W6190



Surface Texture
Natural Wood Emboss

Langdon Oak
FS7W6210



Surface Texture
Natural Wood Emboss

Thorndon Oak
FS7W6220




Surface Texture
Natural Wood Emboss

Achieve this floor ▼



Plank
Brambly Oak



Laying pattern
**Small Parquet
FP185**

Explore patterns and
colours for your project
with our Room Visualiser.
amtico.com



Stone

A cool and contemporary feel, set in stone.

Replicating the delicate, smooth intricacies found in stone, Form's palette of six provides a surface texture close to fine ceramic – destined to make a lasting impression.

Available tile size:
304.8 x 609.6 mm

Stones

ALSO AVAILABLE WITH

19_{dB}

ACOUSTIC
BACKING



AMTICO
BIO

Ammonite

FS7S4800



Surface Texture
Ceramic Emboss

Opal

FS7S4380



Surface Texture
Ceramic Emboss

Crema

FS7S4370



Surface Texture
Ceramic Emboss

Tidal

FS7S4340



Surface Texture
Ceramic Emboss

Mineral

FS7S4350



Surface Texture
Ceramic Emboss

Char

FS7S4810



Surface Texture
Ceramic Emboss




Char – Pavestone FP293 & Stucco Putty stripping

Achieve this floor ▼



Tile
Tidal



Laying pattern
Broken Bond



COMMERCIAL
WARRANTY

0.7mm

WEAR
LAYER



ANTIMICROBIAL
PROTECTION

Order your
free samples


Explore designs, hues
and textures with our
tactile sample swatches.



Achieve this floor ▼



Tile
Crema



Laying pattern
Broken Bond






Laying Patterns

Quickly design and specify elegant Form floors using our pre-designed laying patterns, available alongside our standard planks and tiles.


Simple patterns

Pick any of our standard planks and tiles in one colour and size to create impact quickly with simple, timeless pattern options.




Herringbone Plank

Plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm




Wicket

Plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm




Deck Block
Stripping required

Plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm




Stripwood

Plank sizes:
152.4 x 914.4 mm
184.2 x 1219.2 mm




Herringbone Tile
Stripping optional

Tile size:
304.8 x 609.6 mm



Broken Bond
Stripping optional

Tile size:
304.8 x 609.6 mm



Uniform Block
Stripping optional

Tile size:
304.8 x 609.6 mm




Char – Broken Bond




Patterns for Wood

Every single one of our authentic woods is available in the following laying patterns:




Chevron

Plank size:
87.98 x 457.2 mm




Basket Weave

Plank sizes:
76.2 x 304.8 mm
114.3 x 114.3 mm (key)




Broad Weave

Plank sizes:
152.4 x 304.8 mm
152.4 x 152.4 mm (key)



Small Parquet

Plank size:
76.2 x 228.6 mm



Large Parquet


Plank size:
114.3 x 457.2 mm

Patterns for Stone

Every single one of our natural-looking stones is available in the following laying patterns:




Crema – Large Parquet FP191




Small Parquet

Tile size:
76.2 x 228.6 mm



Large Parquet

Tile size:
114.3 x 457.2 mm



Pavestone

Tile sizes:
152.4 x 304.8 mm
304.8 x 304.8 mm
304.8 x 457.2 mm
3.2 x 914.4 mm (stripping)



Ammonite – Large Parquet FP193 & field tile with Woolwich Concrete stripping

Stripping

Add contrast and definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.

Concrete Pale

AR0SCN30

3.2 mm stripping represented in this example.



Mineral

FS7S4350



Example laid in Herringbone Tile with stripping

Feature stripping is available in the following sizes:*

*Sizes shown are not actual size

- 3.2 mm x 914.4 mm
- 6.4 mm x 914.4 mm
- 9.5 mm x 914.4 mm

- 12.7 mm x 914.4 mm
- 19.1 mm x 914.4 mm

- Dark Walnut

AR0W7700
- Woolwich Concrete

AR0SRE31
- Cirrus Air

AR0W8100
- Stucco Putty

AR0AUC30
- Stria Volcanic

AR0SMS42
- Deptford Concrete

AR0SRE29
- Polished Silver**

AR0APL32
- Pure Plain Black

AR0APN22

- Ashdown Oak

AR0W8680
- Wild Walnut

AR0W7620
- Mirabelle Creme

AR0SMB14
- Stria Basalt

AR0SMS43
- Concrete Pale

AR0SCN30
- Modernist Frame

AR0AMN30
- Polished Copper**

AR0APL45
- Polished Gold**

AR0APL78

Acoustic backing is not available on stripping

**Straight Grain only




Mineral – Herringbone Tile with Mirabelle Creme stripping

Specification

Project Grosvenor Gardens	Sector Healthcare	Location London, UK
------------------------------	----------------------	------------------------

The neutral Scandinavian simplicity of Gotland Oak complements the minimalist stripwood pattern.



Laying pattern
Stripwood

Plank
Gotland Oak
FS7W8470






Project
OCO Westend

Sector
Office

Location
Paisley, UK

Specification

The natural light-reflective qualities of Shell Oak gives OCO Westend an open, airy feel.




Laying pattern
Stripwood

Plank
Shell Oak
FS7W8580

Specification

Project Showroom Elektro Bestian	Sector Retail	Location Hildesheim, Germany
-------------------------------------	------------------	---------------------------------

The classic herringbone installation results in an inviting visual widening of the room.



Laying pattern
Herringbone Plank

Plank
Boardwalk Oak
FS7W8600





Flooring fit for the future



Specify Amtico Bio
Now available across the Form collection, Amtico Bio is our first bio-attributed LVT flooring. Made with renewable biomass derived PVC, which saves more than 90% of the CO₂ emissions compared to traditional fossil fuel based PVC. Amtico Bio offers the same performance and finish with a reduced carbon footprint.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Form is available to specify with 46% bio-attributed content.



What silence looks like

19_{dB}

Specify Amtico Acoustic
Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 19dB and also provides an extra level of comfort underfoot.

Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.



Added protection against bacteria and viruses



Antimicrobial Protection
We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive. Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction after 24 hours compared to an untreated control, and a reduction of >99.9% against the initial inoculation.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains, and heavy traffic that you expect from any Amtico floor.

Performance

Product Availability

Product Availability			Straight Grain			Laying Patterns					
			152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	304.8 x 609.6 mm (12 x 24")	Chevron 87.98 x 457.2 mm (3.46 x 18")	Basket Weave 76.2 x 304.8 mm (3 x 12") 114.3 x 114.3 mm (4.5 x 4.5") (key)	Broad Weave 152.4 x 304.8 mm (6 x 12") 152.4 x 152.4 mm (6 x 6") (key)	Small Parquet 76.2 x 228.6 mm (3 x 9")	Large Parquet 114.3 x 457.2 mm (4.5 x 18")	Pavestone 152.4 x 304.8 mm (6 x 12") 304.8 x 304.8 mm (12 x 12") 304.8 x 457.2 mm (12 x 18") 32 x 914.4 mm (1/8 x 36") (stripping)
Product Name	Product Code	Surface Texture									
Woods											
Alta Oak	FS7W6050	Artisan Wood Emboss	•	•		FP273	FP301	FP239	FP171	FP195	
Amber Oak	FS7W8550	Artisan Wood Emboss	•	•		FP259	FP310	FP225	FP123	FP146	
Bergen Oak	FS7W8510	Artisan Wood Emboss	•	•		FP269	FP298	FP235	FP119	FP142	
Boardwalk Oak	FS7W8600	Artisan Wood Emboss	•	•		FP257	FP309	FP223	FP128	FP151	
Brae Oak	FS7W6160	Artisan Wood Emboss	•	•		FP284	FP216	FP250	FP182	FP206	
Brambly Oak	FS7W6180	Natural Wood Emboss	•	•		FP287	FP219	FP253	FP185	FP209	
Bureau Oak	FS7W5970	Artisan Wood Emboss	•	•		FP262	FP311	FP228	FP136	FP159	
Burnished Timber	FS7W9080	Artisan Wood Emboss	•	•		FP272	FP300	FP238	FP133	FP156	
Carved Oak	FS7W5960	Artisan Wood Emboss	•	•		FP261	FP106	FP227	FP135	FP158	
Cowrie Oak	FS7W8590	Artisan Wood Emboss	•	•		FP263	FP104	FP229	FP127	FP150	
Dusted Oak	FS7W8520	Artisan Wood Emboss	•	•		FP265	FP295	FP231	FP120	FP143	
Esker Oak	FS7W6150	Artisan Wood Emboss	•	•		FP283	FP215	FP249	FP181	FP205	
Falun Oak	FS7W6060	Artisan Wood Emboss	•	•		FP274	FP302	FP240	FP172	FP196	
Fawn Oak	FS7W8480	Artisan Wood Emboss	•	•		FP258	FP102	FP224	FP116	FP139	
Flora Oak	FS7W6100	Natural Wood Emboss	•	•		FP278	FP306	FP244	FP176	FP200	
Foreshore Oak	FS7W6120	Artisan Wood Emboss	•	•		FP280	FP308	FP246	FP178	FP202	
Furrowed Oak	FS7W6070	Artisan Wood Emboss	•	•		FP275	FP303	FP241	FP173	FP197	
Gotland Oak	FS7W8470	Artisan Wood Emboss	•	•		FP268	FP101	FP234	FP115	FP138	
Hanningfield Oak	FS7W6190	Natural Wood Emboss	•	•		FP288	FP220	FP254	FP186	FP210	
Keel Oak	FS7W6110	Artisan Wood Emboss	•	•		FP279	FP307	FP245	FP177	FP201	
Laholm Oak	FS7W6230	Natural Wood Emboss	•	•		FP286	FP218	FP252	FP184	FP208	
Langdon Oak	FS7W6210	Natural Wood Emboss	•	•		FP289	FP221	FP255	FP187	FP211	
Larvik Oak	FS7W6080	Artisan Wood Emboss	•	•		FP276	FP304	FP242	FP174	FP198	
Matlo Oak	FS7W6130	Artisan Wood Emboss	•	•		FP281	FP213	FP247	FP179	FP203	
Native Grey Wood	FS7W9060	Artisan Wood Emboss	•	•		FP271	FP299	FP237	FP137	FP160	
Otta Oak	FS7W6140	Artisan Wood Emboss	•	•		FP282	FP214	FP248	FP180	FP204	
Rural Oak	FS7W5950	Artisan Wood Emboss	•	•		FP260	FP105	FP226	FP134	FP157	
Seaboard Oak	FS7W8570	Artisan Wood Emboss	•	•		FP264	FP294	FP230	FP125	FP148	
Shell Oak	FS7W8580	Artisan Wood Emboss	•	•		FP266	FP296	FP232	FP126	FP149	
Shoal Oak	FS7W6170	Natural Wood Emboss	•	•		FP285	FP217	FP251	FP183	FP207	
Skara Oak	FS7W6090	Natural Wood Emboss	•	•		FP277	FP305	FP243	FP175	FP199	
Strand Oak	FS7W8620	Artisan Wood Emboss	•	•		FP267	FP297	FP233	FP124	FP147	
Thorndon Oak	FS7W6220	Natural Wood Emboss	•	•		FP290	FP222	FP256	FP188	FP212	
Valley Oak	FS7W9040	Artisan Wood Emboss	•	•		FP270	FP114	FP236	FP131	FP154	
Stones											
Ammonite	FS7S4800	Ceramic Emboss			•				FP169	FP193	FP292
Char	FS7S4810	Ceramic Emboss			•				FP170	FP194	FP293
Crema	FS7S4370	Ceramic Emboss			•				FP167	FP191	FP111
Mineral	FS7S4350	Ceramic Emboss			•				FP165	FP189	FP110
Opal	FS7S4380	Ceramic Emboss			•				FP168	FP192	FP291
Tidal	FS7S4340	Ceramic Emboss			•				FP166	FP190	FP109

All products are Quantum Guard Elite coated and bevelled as standard. Please note all sizes and availability are correct at the time of press.

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

	<p>Amtico Form has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.</p>	 	<p>Amtico Form products have been UPEC classified, therefore conforming to local French certification.</p> <p>Revetements de sol resilients 326-003.1 https://evaluation.cstb.fr/en/search</p>
	<p>Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.</p>		<p>The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).</p>
	<p>Our quality system complies with BS EN ISO 9001 and is certified by LRQA.</p>		<p>The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).</p>
	<p>Amtico Form products are third-party certified for low-VOC emissions contributing towards good indoor air quality.</p>		<p>Amtico International GmbH is a member of the DGNB German Sustainable Building Council.</p>
	<p>Amtico Form products are manufactured using ortho-phthalate free plasticisers.</p>		<p>Amtico products comply with BSI ISO 14001 environmental standards.</p>
	<p>Amtico Form complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.</p>		<p>Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.</p>

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of printing.

**Amtico UK & European Sales**

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Iberia Sales

(Spanish & English language)
+34 (0) 913 352 494
sales.southeurope@amtico.com
Samples: info@amtico.de

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

Amtico International Germany

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 2131 359 16 0
info@amtico.de

Amtico International France

36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

Amtico International Scandinavia

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
46 (0) 8 584 233 24
info@amtico.se

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

Amtico International Pty Ltd

Australia & New Zealand
Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com