

Premium Marine LVT

UK made to order

0.55 mm wear layer

antico
marine

- 1 . 5 0 7 5 4

5
2
2
4
2
6
2

M A R I N E



Discovery Awaits	4
Tailor-made Capabilities	12
Sectors	14
Planks & Tiles	32
Wood	34
Stone	42
Laying Patterns	48
Motifs, Borders & Stripping	64
Project	72
Performance	74
Product Availability	76
Accreditations	78

C O N T E N T S



**DISCOVERY
AWAITS**

There's nothing like the freedom of being at sea, and we can help you reflect that same spirit in your vessels. Amtico Marine unlocks a world of creative possibility, with design-led, high-performance flooring made specifically for life on the water. Whether for calming cabin retreats or practical workspaces, our collection of marine-certified LVT brings together beauty, durability and complete design freedom. Backed by the MED wheelmark, UK ENSIGN and Transport for Canada, Amtico Marine is compliant with IMO SOLAS regulations, giving you confidence to create unforgettable spaces that perform to the highest marine standards.


M A R I N E

Made in Britain, built to sail the world.

With over 60 years of British flooring expertise, Amtico empowers designers with the ultimate freedom to transform maritime interiors. Combining technical excellence with exceptional creativity, Amtico Marine delivers flooring solutions that not only meet the highest performance standards but also inspire bold, memorable on-board experiences, all crafted with the quality and innovation Amtico is known for.

AMTICO MARINE ACCREDITATIONS

Amtico Marine is manufactured in compliance with the requirements of the International Maritime Organization (IMO) and the Safety of Life at Sea (SOLAS) Convention. It is approved by Lloyd's Register Marine Deutschland GmbH (LRMD) under the Marine Equipment Directive (MED), and by Lloyd's Register Marine Limited (LRM Ltd) under the UKCA Regulation. In addition, it is mutually recognised by Transport Canada and the United States Coast Guard (USCG).



MADE IN
BRITAIN



2923/XXXX
MED CERTIFIED*



8512/XXXX
ENSGN APPROVED**



TRANSPORT
CANADA



*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)

Manor Oak - French Weave MCP116 & plank perimeter

Unmatched design. Unrivalled performance.

LVT offers the aesthetic appeal of natural wood or marble with none of the compromise. It's lighter, more resilient and significantly easier to maintain, ideal for the demands of marine vessels. Unlike traditional materials, Amtico Marine LVT won't warp, crack or stain, and it delivers the same luxurious look with superior durability, slip resistance and unrivalled performance.

30	WOOD DESIGNS
26	STONE DESIGNS
28	LAYING PATTERNS
0.55 mm	WEAR LAYER



10YR COMMERCIAL WARRANTY

10-year Commercial Warranty, because we've got complete confidence in our products.



EFFECTIVE FIRE RESISTANCE

Verified low surface flammability.



AMTICO SAFETY

Amtico Safety can be specified on all standard planks & tiles and all patterns.



AMTICO BIO

Available to specify with 36% bio-attributed content.



MADE IN BRITAIN

Over 60 years of LVT innovation and expertise. Designed and manufactured in Coventry, UK.



DRYBACK LVT

High-quality, glue-down vinyl flooring that's designed for long-lasting durability and style.



ANTIMICROBIAL PROTECTION

Amtico Marine products are specified as standard with integral antimicrobial protection.*



LIGHTWEIGHT EASY INSTALL

Precision-cut LVT pieces are larger, lighter and quicker to install than traditional ceramic tiles.

*See page 75 for more information.



Diffusion Aloe & Stucco Opaline - Gatsby Square Large MCP119
& Foreshore Oak - Halcyon Pleat MCP122



Como - Uniform Tile, Stucco Haze & Stucco Flax bespoke walkway & Alta Oak - Stripwood

Tailor-made Capabilities

Realise your vision with our Design Service to create a truly unique floor. Amtico Marine makes it easy to create distinctive and unforgettable on-board experiences with our bespoke Design Service, and the option to personalise and customise designs unique to your vision. This gives maritime designers the ultimate freedom to honour tradition, break boundaries or redefine elegance at sea.

Step 1

TALK THROUGH YOUR IDEAS

Think of your Marine Specialist as your go-to guide for when you need something outside of the ordinary - they are here to understand your needs, budget, and vision, and help make it all happen.



Step 2

DESIGN YOUR SPACE


Our expert Design Service team will provide what you need - a creative vision of your future floor. This may include mood boards, visuals or CAD drawings. The process is collaborative and will be expertly managed through your Marine Specialist, to ensure that the final floor meets your specification.



Step 3

SUPPORT WITH EVERY STEP

Once you're completely happy, you can put your trust in us to make the process of ordering your personalised floor hassle-free, with clear visuals and CAD drawings. Your Marine Specialist will provide everything you need for a smooth delivery and installation.



Step 4

DELIVER YOUR VISION

Every bespoke design is test laid at our UK factory by our Quality team to ensure the highest standards of fit. This crucial part of the process means you can rely on Amtico to deliver what's needed, even with the most intricate design. Just sit back and watch your unique floor come to life.



Products shown: Amalfi, Rural Oak, Traditional Oak, Fontana Marble Blue, Fontana Marble White & Opulent Gold stripping



Falun Oak - Chevron MCP111



CRUISE SHIPS

Amtico Marine LVT offers a wide palette of wood and stone designs to suit every on-board environment. Use bold patterns to define vibrant retail spaces, lounges, bar areas & fine dining - all with the same durable, marine-certified performance.

Design cohesion across every deck.

SPECIFY FOR

Passenger & Crew Cabins

Bar / Restaurant / Lobby / Lounge

Shops & Retail Outlets

Bridge / Medical Centre



Vesper - Uniform Tile

From cosy cabin retreats to vibrant dining areas, Amtico Marine helps you define spaces on-board with custom laying patterns and sector-specific design solutions. Backed by unrivalled marine performance and enhanced with an ionic silver additive for lasting hygiene, it ensures safe, durable flooring across high-footfall cruise environments.



ANTIMICROBIAL PROTECTION

Cruise ship bars and restaurants are high-traffic areas, making hygiene essential. Amtico Marine's antimicrobial properties provide an extra layer of protection, actively reducing bacteria by more than 99% within 24 hours compared to untreated polyethylene surfaces.*

*See page 75 for more information.



MP047 & Tollymore Oak - Small Parquet MCP143





Matlo Oak - Random Plank Large MCP150



FERRIES

Ferry interiors demand resilience and style. Amtico Marine meets both with high-performance LVT flooring that's slip resistant, hygienic and MED certified. A wide range of textures and finishes helps elevate passenger experience while supporting zoning, wayfinding and long-term durability.

Durable design for everyday journeys.

SPECIFY FOR

Dining Area / Cafeteria / Snack Bar

Observation Lounge / Seating Areas

Retail Area / Duty-free Shop

Bridge / Information Desk



Kirby Oak - Stripwood

From welcoming lounges to lively retail zones, Amtico Marine offers a broad choice of styles to complement ferry journeys. Wood and stone designs help define different zones while delivering durability, slip resistance and easy maintenance for high-footfall spaces.



AMTICO SAFETY

Ideal for high-traffic ferry lounges where safety and hygiene matter. With several layers of protection in a single tile, it meets the BS EN 13845 Enhanced Slip Standard and includes built-in antimicrobial features for added peace of mind.



Deptford Concrete - Uniform Tile & Stucco Quartz perimeter





Falun Oak - Stripwood



CHARTER FISHING BOATS

With unrivalled marine performance, hygiene protection and proven durability, our flooring helps create comfortable spaces that feel at once both practical and luxurious, even in the toughest conditions.

Comfort that lasts offshore.

SPECIFY FOR

Passenger & Crew Cabins

Galley Area

Wheelhouse

Passenger Seating Area



Amtico Marine brings a refined finish to compact charter fishing boat spaces, with warm woods and soft stones that create a homely, high-end feel. In cabins and communal areas, the flooring complements quality furnishings and materials, offering comfort, style and long-lasting performance.



10YR COMMERCIAL WARRANTY

10-year Commercial Warranty, because we've got complete confidence in our products.

Traditional Oak - Deck Block & Marine Plain Black stripping



Alta Oak - Large Parquet MCP137



Planks & Tiles

Choose any of our Marine planks and tiles in a single colour and size to create a floor with simple elegance. Or design your own combinations of colours and sizes to make something that will deliver real impact.



76.2 x 914.4 mm



114.3 x 914.4 mm



152.4 x 914.4 mm



184.2 x 1219.2 mm



304.8 x 304.8 mm



304.8 x 457.2 mm




457.2 x 457.2 mm



304.8 x 609.6 mm



457.2 x 914.4 mm



914.4 x 914.4 mm



Alta Oak - Stripwood



MP044

WOOD

TIMELESS STYLE WITH
MARINE-GRADE PERFORMANCE.

Our LVT wood designs bring natural texture and warmth to any marine interior: from traditional deck aesthetics to contemporary lounges. With grains ranging from soft oak to rich walnut, each design offers the beauty of timber with the resilience and safety of specialist marine flooring.

Cool



Solar Pine
AM5W8240



Seaboard Oak
AM5W8570



White Ash
AM5W2540




Friston Oak
AM5W8750



Henley Oak
AM5W8740

STANDARD FEATURES

 2923/XXXX
MED Certified*

 2923/XXXX
ENSGN Approved**

 Transport
Canada

 Antimicrobial
Protection

AVAILABLE TO SPECIFY WITH

 Amtico Safety

 Amtico Bio

FREE SAMPLES

Explore designs,
hues and textures
with our tactile
sample swatches.



Foreshore Oak
AM5W6120



Keel Oak
AM5W6110



Nordic Oak
AM5W2550



Tollymore Oak
AM5W8760



Dusky Walnut
AM5W2542

*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)

Neutral



Laholm Oak
AM5W6230



Trevellas Oak
AM5W8890



Flora Oak
AM5W6100



Manor Oak
AM5W7970



Furrowed Oak
AM5W6070

STANDARD FEATURES

-  2923/XXXX
MED Certified*
-  2923/XXXX
ENSGN Approved**
-  Transport
Canada
-  Antimicrobial
Protection

AVAILABLE TO SPECIFY WITH

-  Amtico Safety
-  Amtico Bio

FREE SAMPLES

Explore designs,
hues and textures
with our tactile
sample swatches.



Matlo Oak
AM5W6130



Alta Oak
AM5W6050



Kirby Oak
AM5W8780



Featured Oak
AM5W2533



Falun Oak
AM5W6060

*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)

Warm



Pale Ash
AM5W2518



Rural Oak
AM5W5950



Honey Oak
AM5W2504



Traditional Oak
AM5W2514



Royal Oak
AM5W2530

STANDARD FEATURES

-  2923/XXXX
MED Certified*
-  2923/XXXX
ENSGN Approved**
-  Transport
Canada
-  Antimicrobial
Protection

AVAILABLE TO SPECIFY WITH

-  Amtico Safety
-  Amtico Bio

FREE SAMPLES

Explore designs,
hues and textures
with our tactile
sample swatches.



Voyager Teak
AM5W6128



Exotic Walnut
AM5W2541



Black Walnut
AM5W2534



Tay Oak
AM5W8900



Black Timber
AM5W6129

*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)



MP037 & Mantle Stone - Broken Bond

STONE

COOL, CLEAN AND
EFFORTLESSLY ELEGANT.

Inspired by nature, our stone LVT offers a refined, contemporary look for marine spaces that demand a calm, grounded feel. From limestones to opulent marbles, these surfaces combine high-end appeal with the durability, hygiene and slip resistance essential for life on the water.

Natural

FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.



Ammonite
AM5S4800



Mantle Stone
AM5S6122



Woolwich Concrete
AM5SRE31



Castello Stone
AM5S6118



Berkswell Stone
AM5SMA32



Deptford Concrete
AM5SRE29



Whitley Stone
AM5SMA36



Stucco Putty
AM5AUC30



Diffusion Loam
AM5ADF04

Colour Edit

STANDARD FEATURES

 2923/XXXX
MED Certified*

 2923/XXXX
ENSIGN Approved**

 Transport
Canada

 Antimicrobial
Protection

AVAILABLE TO SPECIFY WITH

 Amtico Safety

 Amtico Bio



Stucco Opaline
AM5AUC88



Stucco Quartz
AM5AUC15



Stucco Haze
AM5AUC40



Chatham Concrete
AM5SRE33



Diffusion Chambray
AM5ADF39



Stucco Clay
AM5AUC47



Stucco Roselle
AM5AUC51



Stucco Flax
AM5AUC39



Diffusion Aloe
AM5ADF88

*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)

Marble

FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.




Fontana Marble White
AM5S4574



Fontana Marble Black
AM5S4573



Fontana Marble Blue
AM5S4575



Fontana Marble Green
AM5S4576


Terrazzo

STANDARD FEATURES

 2923/XXXX
MED Certified*

 2923/XXXX
ENSGN Approved**

 Transport
Canada

 Antimicrobial
Protection

AVAILABLE TO SPECIFY WITH

 Amtico Safety


 Amtico Bio




Gibson
AM5S2603



Vesper
AM5S2616



Amalfi
AM5S2609



Como
AM5S2613

*Lloyd's Register Marine Deutschland GmbH (LRMD)
**Lloyd's Register Marine Limited (LRM Ltd)



Stucco Clay, Stucco Opaline, Stucco Haze, Diffusion Chambray & Diffusion Aloe - Pleat MCP149 & Laholm Oak - Stripwood

LAYING PATTERNS


Wayfinding, zoning, mood and atmosphere – floor design plays a vital role on-board. Our curated selection of laying patterns offers effortless solutions for large circulation areas, smaller decorative spaces and every space in between.

Laying Patterns

Create unforgettable design experiences at sea with our extended range of exclusive Marine laying patterns. Personalise them with your own choice of colours and textures for design options as vast as the ocean.



Small Parquet*
Plank size:
76.2 x 228.6 mm




- 1 Product Small - MCP143
- 2 Products Small - MCP144
- 3 Products Small - MCP145
- 5 Products Small - MCP146

Product shown:
Traditional Oak



Large Parquet*
Plank size:
114.3 x 457.2 mm
4 x 914.4 mm (stripping)




- 1 Product Large - MCP137
- 1 Product Large with stripping - MCP138
- 2 Products Large - MCP139
- 3 Products Large - MCP140
- 5 Products Large - MCP141
- 5 Products Large with stripping - MCP142

Product shown:
Trevellas Oak

*Available to specify with both wood & stone products.




Basket Weave
Plank sizes:
76.2 x 304.8 mm
114.3 x 114.3 mm (key)
1 Product - MCP103
2 Products - MCP104



Product shown:
Seaboard Oak




Chevron
Plank size:
87.98 x 457.2 mm
1 Product - MCP111



Product shown:
Laholm Oak



Halcyon Pleat
Plank size:
131.98 x 914.4 mm
1 Product - MCP122




Product shown:
Tollymore Oak



Versailles Parquet

Module size:
691.1 x 691.1 mm
1 Product - MCP153




Product shown:
Alta Oak



French Weave

Module size:
609.6 x 609.6 mm
1 Product - MCP116




Product shown:
Manor Oak



Chantilly Weave

Module size:
457.2 x 457.2 mm
1 Product - MCP106
2 Products - MCP107




Product shown:
Tay Oak




Gable Parquet

Module size:
304.8 x 304.8 mm
1 Product Small - MCP118




Product shown:
Foreshore Oak

Module size:
457.2 x 457.2 mm
1 Product Large - MCP117



Castel Weave

Plank sizes:
304.8 x 457.2 mm
107.7 x 431 mm
1 Product - MCP105




Product shown:
Matlo Oak




Random Plank

Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm
1 Product Small - MCP151



Product shown:
Voyager Teak


Plank sizes:
76.2 x 914.4 mm
152.4 x 914.4 mm
228.6 x 914.4 mm
1 Product Large - MCP150






Key Stone

Tile sizes:
152.4 x 152.4 mm
50.8 x 50.8 mm (key)
2 Products Mini - MCP132
3 Products Mini - MCP133



Tile sizes:
304.8 x 304.8 mm
63.5 x 63.5 mm (key)
2 Products Small - MCP134




Products shown:
Fontana Marble White &
Fontana Marble Black



Check*

Tile size:
152.4 x 152.4 mm
1 Product - MCP108**
2 Products - MCP109
3 Products - MCP110




Products shown:
Stucco Opaline, Diffusion Chambray &
Stucco Haze



Pleat*

Plank size:
114.3 x 457.2 mm
1 Product - MCP147
3 Products - MCP148
5 Products - MCP149




Products shown:
Diffusion Chambray, Stucco Haze,
Stucco Clay, Diffusion Aloe & Stucco Opaline

*Available to specify with both wood & stone products.
**Tiles must be tessellated to achieve pattern.




Gatsby Square

Module size:
304.8 x 304.8 mm
2 Products Small - MCP120



Module size:
457.2 x 457.2 mm
2 Products Large - MCP119




Products shown:
Stucco Opaline & Stucco Flax




Arc

Module size:
152.4 x 304.8 mm
3 Products Small - MCP102



Module size:
304.8 x 609.6 mm
3 Products Large - MCP101




Products shown:
Ammonite, Woolwich Concrete &
Diffusion Aloe




Lune

Module size:
228.6 x 228.6 mm
2 Products Small - MCP136



Module size:
457.2 x 457.2 mm
2 Products Large - MCP135




Products shown:
Stucco Opaline & Stucco Roselle



Large Flagstone

Tile sizes:
152.4 x 152.4 mm
152.4 x 304.8 mm
304.8 x 304.8 mm
152.4 x 457.2 mm



304.8 x 457.2 mm
457.2 x 457.2 mm
4 x 914.4 mm (stripping)*
1 Product Large
with stripping - MCP113


Products shown:

Chatham Concrete &
Mantle Stone stripping



Extra Large Flagstone

Tile sizes:
450.85 x 679.45 mm
450.85 x 450.85 mm
222.25 x 450.85 mm



222.25 x 222.25 mm
6.4 x 914.4 mm (stripping)
1 Product Extra Large
with stripping - MCP112


Products shown:

Whitley Stone & Mantle Stone stripping



Grand Flagstone

Tile sizes:
603.25 x 908.05 mm
603.25 x 603.25 mm
298.45 x 603.25 mm



298.45 x 298.45 mm
6.4 x 914.4 mm (stripping)
1 Product Grand
with stripping - MCP121

Products shown:


Berkswell Stone & Ammonite stripping

*Stripping supplied in predefined lengths.



Random Stone

Tile sizes:
152.4 x 457.2 mm
228.6 x 457.2 mm
304.8 x 457.2 mm
4 x 914.4mm (stripping)*



1 Product with stripping - MCP152


Products shown:

Mantle Stone & Stucco Putty stripping



Frame

Tile sizes:
609.6 x 914.4 mm (module)
201.4 x 455.4 mm (tile)
404.6 x 914.4 mm (tile)
4 x 914.4 mm (stripping)



1 Product with stripping - MCP114
3 Products with stripping - MCP115

Products shown:

Fontana Marble Black &
Mantle Stone stripping

*Stripping supplied in predefined lengths.

Amtico Décor laying patterns for Wood.

Amtico Décor laying patterns bring a sense of heritage and craft to marine interiors, with intricate designs that echo timeless flooring traditions. Made to order and precision-cut in Coventry, each tile delivers durability, hygiene and elegance at sea. Whether opting for striking geometrics or the classic marquetry techniques of the Victorian Star, Décor offers decorative impact with the performance to match life on the water.



MP041



Akari Lattice Small Port
MP041



Akari Lattice Small Starboard
MP042



Akari Lattice Large Bow
MP043



Akari Lattice Large Anchor
MP044



Venetian Parquet Murano
MP034



Venetian Parquet Torcello
MP035



Victorian Star Large Navigator
MP039



Victorian Star Large Horizon
MP040

Amtico Décor laying patterns for Stone.

Amtico Décor doesn't just turn heads - it invites closer exploration. From beautiful diamond and star patterns to stone parquets, Décor offers a way of zoning a space in an elegant, refined way.



Chequer Lagoon
MP045



Chequer Glacier
MP046



Corinthian Coast
MP047




Temple Diamond Pacific
MP031



Venetian Parquet Fusina
MP032



Venetian Parquet Trieste
MP033



Echo Wave
MP048



Echo Sky
MP029



Temple Diamond Atlantic
MP030



Victorian Star Small Vega
MP036




Victorian Star Small Capella
MP037




Victorian Star Small Sirius
MP038

Simple Patterns


Pick any of our standard planks and tiles in one colour* and size to create impact quickly with simple, timeless laying pattern options.




Deck Block
Stripping required
Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm
184.2 x 1219.2 mm




Wicket
Stripping optional
Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm




Linear Block
Stripping optional
Tile sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm




Broken Bond
Stripping optional
Tile sizes:
304.8 x 457.2 mm
304.8 x 609.6 mm
457.2 x 914.4 mm




Uniform Block
Stripping optional
Tile sizes:
304.8 x 457.2 mm
304.8 x 609.6 mm
457.2 x 914.4 mm




Herringbone Tile
Stripping optional
Tile sizes:
304.8 x 457.2 mm
304.8 x 609.6 mm
457.2 x 914.4 mm




Herringbone Plank
Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm
184.2 x 1219.2 mm




Stripwood
Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm
184.2 x 1219.2 mm




Boardwalk
Plank sizes:
76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm



Bonded Stone
Stripping optional
Tile sizes:
304.8 x 304.8 mm
457.2 x 457.2 mm
914.4 x 914.4 mm



Uniform Tile
Stripping optional
Tile sizes:
304.8 x 304.8 mm
457.2 x 457.2 mm
914.4 x 914.4 mm



Checkerboard
Stripping optional
Tile sizes:
304.8 x 304.8 mm
457.2 x 457.2 mm
914.4 x 914.4 mm

*Except Checkerboard which is two colours.



Ammonite, Whitley Stone, Berkswell Stone & Diffusion Loam - Nautica Sun motif & Ammonite - Large Parquet MCP137

MOTIFS, BORDERS & STRIPPING

Every space at sea has a story to tell. Our specialist Marine LVT gives you the freedom to create completely custom flooring that brings your unique vision to life. Our tailored motifs and personalised finishes make it possible to design interiors that reflect the character and purpose of your vessel.

Motifs for standout spaces.

Our motif designs push creative boundaries, offering dynamic visuals that bring modern flair to on-board interiors. Ideal for high-impact zones or a focal point, allowing designers to make a statement while still meeting rigorous marine safety and performance standards.




Greenwich Star
4 products | MC804
Motif size:
1738.2 mm diameter

Products shown:
Trevallas Oak, Tay Oak,
Alta Oak & Furrowed Oak



Nautica Sun
4 products | MC805
Motif size:
1700 mm diameter

Products shown:
Ammonite, Berkswell Stone,
Whitley Stone & Diffusion Loam



Compass
5 products | MC801
Motif size:
1700 mm diameter

Products shown:
Honey Oak, Traditional Oak, Royal Oak,
Black Walnut & Exotic Walnut



Compass Small
5 products | MC802
Motif size:
850.9 mm diameter

Products shown:
Diffusion Loam, Stucco Putty,
Berkswell Stone, Whitley Stone
& Mantle Stone



Small Star
4 products | MC300
Motif size:
609.6 mm diameter

Products shown:
Honey Oak, Exotic Walnut,
Royal Oak & Pale Ash



Borders

Antico borders offer a refined way to frame spaces, guide footfall or add a tailored finish to Marine floors. Whether used for subtle definition or bold statement detailing, they enhance visual interest while maintaining the durability and performance essential at sea.



Piping

Border AM5B6400A
12.7 x 914.4 mm



Offset Stripe

Border AM5B7000A
38.1 x 914.4 mm



Bevelled Diamond

Border AM5B270BA
76.2 x 914.4 mm
Corner AM5C27ABA



Art Deco

Border AM5B5100
88.9 x 914.4 mm
Corner AM5C51S0



Deco Pleat

Border AM5B680B
88.9 x 914.4 mm
Corner AM5C68SB



Pinstripe Fine

Border AM5B4001
88.9 x 914.4 mm
Corner AM5C4001



Pinstripe Medium

Border AM5B4002
88.9 x 914.4 mm
Corner AM5C4002



Pinstripe Bold

Border AM5B4000
88.9 x 914.4 mm
Corner AM5C4002

Stripping

Stripping can be used alongside Amtico Marine floors to add definition, contrast or a tailored finish. Versatile strips enhance the overall design while maintaining the durability and performance needed. They are ideal for outlining zones, framing features or adding subtle detail.

Feature stripping is supplied bevelled and is available in the following sizes:*




	
4 x 914.4 mm	12.7 x 914.4 mm
	
6.4 x 914.4 mm	
	
9.5 x 914.4 mm	19.1 x 914.4 mm



Exotic Walnut - Deck Block & Ammonite stripping


*Sizes shown are not actual size

	
Ammonite	AM5S4800
	
Mantle Stone	AM5S6122
	
Stucco Putty	AM5AUC30
	
Woolwich Concrete	AM5SRE31
	
Matlo Oak	AM5W6130
	
Black Walnut	AM5W2534
	
Marine Plain Black	AM5ASC22
	
Deluxe Platinum**	AM5AME13
	
Opulent Gold**	AM5AME43
	
Grand Copper**	AM5AME19
	
Stucco Flax	AM5AUC39
	
Stucco Roselle	AM5AUC51
Amtico Safety & Bio product enhancements are not available on stripping.	
**Straight Grain only	

		
Woolwich Concrete	AM5SRE31	
4 mm stripping in this example		
	AM5S4800	Example laid in Broken Bond with stripping

P&O Cruises

Laid in Bonded Stone, a simple laying pattern using standard square tiles, the overall finish gives a traditional aesthetic and celebrates authentic ceramic style.



Bonded Stone



Please note, the product used in this image was taken from our Signature collection and adapted to our Marine collection specification.

Credit: Alexander Rudolph

Arvia from P&O Cruises is an impressive vessel built by Meyer-Werft in Germany. At 344 metres long, it features a total of 16 decks and 2,614 guest cabins. Setting sail in 2022, Arvia's light and spacious interiors feature Amtico Marine in amenity areas, creating unforgettable experiences for customers while providing the highest industry safety standards.

Amtico Marine has been specified in The Olive Grove, a restaurant located on the Gala Deck, and throughout the retail spaces on the Parade Deck. The designs show the versatility of Amtico Marine, helping each area to achieve its own identity.




The planks have been laid in Herringbone and Stripwood with a beautifully balanced mix of the colours to create stunning feature areas. The overall effect is bright and creates a contemporary aesthetic for guests to admire while enjoying some retail therapy.



Stucco Quartz
AM5AUC15



Stucco Putty
AM5AUC30



Herringbone Plank

Built to withstand all waters.

Amtico Marine is designed for all maritime vessels, combining superior performance with exceptional design. Compliant with all of the highest safety marine standards, it’s engineered for durability and resilience as well as aesthetic standout.

Light and resilient


Highly flame and smoke resistant

A low-emission product

Hard-wearing

MULTIPLE PERFORMANCE SYSTEM

- A Quantum Guard Elite®**
Amtico’s patented urethane formula provides superior durability and resistance against abrasions and stains. The reinforced low gloss finish is highly realistic.
- B High density 0.55 mm wear layer**
Toughened upper layer, giving excellent impact resistance and high clarity, allowing the product designs to shine through.
- C Design layer**
Carefully crafted print films create the distinctive Amtico wood and stone product designs.
- D Core layer**
Enhances low smoke and flammability characteristics.
- E Backing layer**
The foundation of the product which provides long-lasting stability.



Total thickness of product: 2 mm

Flooring fit for the future.



SPECIFY AMTICO BIO

Amtico Bio is our first bio-attributed LVT flooring.

It is made with bio-attributed PVC, which replaces fossil fuel feedstocks with more sustainable renewable biomass alternatives. Specifying Amtico Bio reduces the embodied carbon of Amtico LVT by between 20 to 28%,* whilst still offering the same performance and finish.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Amtico Marine is available to specify with 36% bio-attributed content.

*Varies by range, see the Amtico Bio brochure for more details.

For safety beyond the surface.



SPECIFY AMTICO SAFETY

Most safety floors only have one additional safety layer. Amtico Safety flooring has several layers of safety, design and antimicrobial features.

All of our floors meet the BS EN 13845 Enhanced Slip Standard, taking our commitment to safety, hygiene and design far beyond surface level.

Added protection against bacteria and viruses.



BENEFIT FROM ANTIMICROBIAL PROTECTION

We add an antimicrobial ionic silver additive to our Quantum Guard Elite PU lacquer that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

This has been independently tested to ISO 22196 and shown to reduce harmful bacteria, including MRSA and E. coli, by over 99.9%** within 24 hours compared to untreated polyethylene surfaces.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.

**ISO 22196 testing demonstrated ≈99.9% reduction of MRSA and E. coli on Quantum Guard Elite PU lacquer within 24 hours compared to untreated polyethylene film. ISO 21702:2019 testing demonstrated an 85.5% reduction of SARS-CoV-2 within 24 hours compared to inert glass. Applies only to Quantum Guard Elite PU lacquer. Contact your Amtico representative for details on Amtico options with the same antimicrobial protection.



Trevallas Oak - Large Parquet MCP137

Wood

Product Name	Product Code	Surface Texture	Straight Grain			
			76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")
Alta Oak	AM5W6050	Tick	•	•	•	•
Black Timber	AM5W6129	Tick	•	•	•	•
Black Walnut	AM5W2534	Tick	•	•	•	•
Dusky Walnut	AM5W2542	Tick	•	•	•	•
Exotic Walnut	AM5W2541	Tick	•	•	•	•
Falun Oak	AM5W6060	Tick	•	•	•	•
Featured Oak	AM5W2533	Tick	•	•	•	•
Flora Oak	AM5W6100	Tick	•	•	•	•
Foreshore Oak	AM5W6120	Tick	•	•	•	•
Friston Oak	AM5W8750	Tick	•	•	•	•
Furrowed Oak	AM5W6070	Tick	•	•	•	•
Henley Oak	AM5W8740	Tick	•	•	•	•
Honey Oak	AM5W2504	Tick	•	•	•	•
Keel Oak	AM5W6110	Tick	•	•	•	•
Kirby Oak	AM5W8780	Tick	•	•	•	•
Laholm Oak	AM5W6230	Tick	•	•	•	•
Manor Oak	AM5W7970	Tick	•	•	•	•
Matlo Oak	AM5W6130	Tick	•	•	•	•
Nordic Oak	AM5W2550	Tick	•	•	•	•
Pale Ash	AM5W2518	Tick	•	•	•	•
Royal Oak	AM5W2530	Tick	•	•	•	•
Rural Oak	AM5W5950	Tick	•	•	•	•
Seaboard Oak	AM5W8570	Tick	•	•	•	•
Solar Pine	AM5W8240	Tick	•	•	•	•
Tay Oak	AM5W8900	Tick	•	•	•	•
Tollymore Oak	AM5W8760	Tick	•	•	•	•
Traditional Oak	AM5W2514	Tick	•	•	•	•
Trevellas Oak	AM5W8890	Tick	•	•	•	•
Voyager Teak	AM5W6128	Tick	•	•	•	•
White Ash	AM5W2540	Tick	•	•	•	•

Stone

Product Name	Product Code	Surface Texture	Straight Grain					
			304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	914.4 x 914.4 mm (36 x 36")
Amalfi	AM5S2609	Ceramic	•	•	•	•	•	•
Ammonite	AM5S4800	Ceramic	•	•	•	•	•	•
Berkswell Stone	AM5SMA32	Ceramic	•	•	•	•	•	•
Castello Stone	AM5S6118	Ceramic	•	•	•	•	•	•
Chatham Concrete	AM5SRE33	Ceramic	•	•	•	•	•	•
Como	AM5S2613	Ceramic	•	•	•	•	•	•
Deptford Concrete	AM5SRE29	Ceramic	•	•	•	•	•	•
Diffusion Aloe	AM5ADF88	Ceramic	•	•	•	•	•	•
Diffusion Chambray	AM5ADF39	Ceramic	•	•	•	•	•	•
Diffusion Loam	AM5ADF04	Ceramic	•	•	•	•	•	•
Fontana Marble Black	AM5S4573	Ceramic	•	•	•	•	•	•
Fontana Marble Blue	AM5S4575	Ceramic	•	•	•	•	•	•
Fontana Marble Green	AM5S4576	Ceramic	•	•	•	•	•	•
Fontana Marble White	AM5S4574	Ceramic	•	•	•	•	•	•
Gibson	AM5S2603	Ceramic	•	•	•	•	•	•
Mantle Stone	AM5S6122	Ceramic	•	•	•	•	•	•
Stucco Clay	AM5AUC47	Ceramic	•	•	•	•	•	•
Stucco Flax	AM5AUC39	Ceramic	•	•	•	•	•	•
Stucco Haze	AM5AUC40	Ceramic	•	•	•	•	•	•
Stucco Opaline	AM5AUC88	Ceramic	•	•	•	•	•	•
Stucco Putty	AM5AUC30	Ceramic	•	•	•	•	•	•
Stucco Quartz	AM5AUC15	Ceramic	•	•	•	•	•	•
Stucco Roselle	AM5AUC51	Ceramic	•	•	•	•	•	•
Vesper	AM5S2616	Ceramic	•	•	•	•	•	•
Whitley Stone	AM5SMA36	Ceramic	•	•	•	•	•	•
Woolwich Concrete	AM5SRE31	Ceramic	•	•	•	•	•	•

Accreditations

With Amtico Marine, our ethos is to unite design freedom with the highest levels of marine-certified quality. Every product in this collection is crafted to balance creativity with technical excellence, ensuring interiors not only inspire but also meet the rigorous standards required at sea.

TECHNICAL INFORMATION

View all the technical, installation and maintenance details.



2923/XXXX



8512/XXXX



Amtico Marine is manufactured in compliance with the requirements of the International Maritime Organization (IMO) and the Safety of Life at Sea (SOLAS) Convention. It is approved by Lloyd's Register Marine Deutschland GmbH (LRMD) under the Marine Equipment Directive (MED), and by Lloyd's Register Marine Limited (LRM Ltd) under the UKCA Regulation. In addition, it is mutually recognised by Transport Canada and the United States Coast Guard (USCG).



Amtico Marine has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.



Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.



Our quality system complies with BS EN ISO 9001 and is certified by LRQA.



Amtico Marine products are third-party certified for low-VOC emissions contributing towards good indoor air quality.



Amtico products are manufactured within ISO 14001 compliant facilities.



ORTHO-PHTHALATE FREE

Amtico Marine products are manufactured using both ortho-phthalate free and biobased plasticisers.



Amtico International is proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.



Amtico Marine complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.



Amtico Marine has GGT GreenRate Level A International certification.

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of publication.



Amtico UK & European Sales

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

**Amtico International
Germany**

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361 155 0
info@amtico.de

Amtico International

France
36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

**Amtico International
Scandinavia**

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

**Amtico International
Sucursal En España**
Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

**Amtico International Pty Ltd
Australia & New Zealand**

Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com