

The Signature
Specification
Guide

Amtico
Signature
Collection

Premium LVT flooring


UK made to order

1.0 mm wear layer

Create

Contents

Authentic to the last detail	4
Signature Planks & Tiles	6
Wood	8
Stone	22
Colour & Abstract	34
Laying Patterns	44
Chevron	46
Gable Parquet	48
Versailles Parquet	50
Large Parquet	52
Small Parquet	54
Chantilly Weave	56
Halcyon Pleat	58
Basket Weave	60
French Weave	62
Castel Weave	64
Pleat	66
Random Plank	68
Gatsby Square	70
Large Flagstone	72
Extra Large & Grand Flagstone	74
Random Stone	76
Key Stone Small	78
Key Stone Mini	80
Check	82
Frame	84
Polygon Key Mini	86
Lune	88
Arc	90
Simple Patterns	92
Projects	94
Bespoke	98
Stripping	102
Borders, Corners & Motifs	104
Making flooring fit for the future	106
Enhanced Protection	110
Technical Information	112




MADE IN
BRITAIN

Authentic to the last detail



20YR COMMERCIAL WARRANTY



ANTIMICROBIAL

18_{dB}

Acoustic backing can be specified on all standard planks and tiles, Large & Small Parquet without stripping and all Herringbone sizes.

36⁺

36+ can be specified on all standard planks & tiles and all patterns.



Available to specify with 61% bio-attributed content.*

Realise stunning spaces with Amtico Signature.

An extraordinary collection of premium flooring, crafted and hand-finished down to the smallest details. For stunning flooring, designed to create beautifully considered spaces.

18

Unique Palettes

22

Signature Laying Patterns

* Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.

Signature Planks

Choose any of our Signature planks and tiles in a single colour and size to create a floor with simple elegance. Or design your own combinations of colours and sizes to make something that will deliver real impact.



& Tiles



Cool One | Wood

Available to be specified with:

18_{dB} 36⁺



Solar Pine
AROW8240



Halo Pine
AROW8250



Henley Oak
AROW8740



Friston Oak
AROW8750



Pearl Wash Wood
AROW8220



Shore Oak
AROW8180



Alpine Oak
AROW8330



Nomad Oak
AROW8140



Lock Oak
AROW8360



Tollymore Oak
AROW8760



Tollymore Oak
AROW8760

Stripwood & Gable Parquet Large DC537

Cool Two | Wood

Available to be specified with:

18_{dB} 36⁺



Chiltern Oak
AROW8630



White Wash Wood
AROW7680



Laughton Oak
AROW8810



Malvern Oak
AROW8670



Marlow Oak
AROW8690



Wilverley Oak
AROW8870



Hamsterley Oak
AROW8770



Verbier Oak
AROW8320



Wharf Oak
AROW8190



Harbour Pine
AROW7990



Laughton Oak
AROW8810

Stripwood & Small Parquet EP113 Feature



Malvern Oak
AROW8670

Stripwood

Neutral One | Wood

Available to be specified with:

18_{dB} 36⁺



Wharnclyffe Oak
AROW8640



Ashdown Oak
AROW8680



Toulouse Oak
AROW8430



Parisian Pine
AROW7860



Dockland Oak
AROW8350



Versailles Oak
AROW8460



Chateau Oak
AROW7980



Reclaimed Oak
AROW7870



Sanctuary Grain
AROW8270



Aspen Oak
AROW8310



Ashdown Oak
AROW8680

Stripwood & Plank Border



Dockland Oak
AROW8350

Stripwood

Neutral Two | Wood

Available to be specified with:

18_{dB} 36⁺



Lime Washed Wood
AROW7660



Salted Oak
AROW8210



Trevellas Oak
AROW8890



Kirby Oak
AROW8780



Darley Oak
AROW8710



Union Oak
AROW8370



Clowes Oak
AROW8650



Buckingham Oak
AROW8880



Grizedale Oak
AROW8830



Berwick Oak
AROW8850



Hackfall Oak
AROW8790



Fumed Oak
AROW7900



Clowes Oak
AROW8650



Chevron DC501 & Stripwood

Mid-Tone One | Wood

Available to be specified with:

18_{dB} 36⁺



Rotterdam Oak
AROW8440



Farmhouse Oak
AROW7630



Aged Oak
AROW7710



Dry Teak
AROW7810



Brushed Oak
AROW7910



Manor Oak
AROW7970



Bordeaux Oak
AROW8450



Classic Walnut
AROW7610




Chagot Oak
AROW8720



Wild Walnut
AROW7620



Tay Oak
AROW8900



Regency Walnut
AROW8200



Bordeaux Oak
AROW8450

Stripwood

Mid-Tone Two | Wood

Available to be specified with:

18_{dB} 36⁺



Cornish Oak
AROW8150



Blonde Oak
AROW7460



Buxton Oak
AROW8660



Worn Oak
AROW7390



Natural Limed Wood
AROW7690



White Oak
AROW7520



Golden Oak
AROW7510



Fresh Oak
AROW7440



French Oak
AROW7830



York Oak
AROW8160



Yarnclyff Oak
AROW8800



Whinlatter Oak
AROW8730



Buxton Oak
AROW8660

Stripwood & Chantilly Weave DC538

Warm | Wood

Available to be specified with:

18_{dB} 36⁺



Classic Oak
AROW7430



American Oak
AROW7050



Teak
AROW6990



Priory Oak
AROW7200



Dark Walnut
AROW7700



Fused Birch
AROW7500



Light Cherry
AROW7060



Antique Wood
AROW7190



Merbau
AROW7590



Rosewood
AROW7070



Classic Oak
AROW7430

Stripwood

Neutral One | Stone

Available to be specified with:

18_{dB} 36⁺



Waterloo Concrete
AROSSC10



Wilmcote Limestone
AROSLS44



Tyne Concrete
AROSRE30



Ratley Stone
AROSMA37



Woolwich Concrete
AROSRE31



Basilica Salt
AROSBS12



Kura Kala
AROSKU31



Sloane Concrete
AROSSC37



Stria Basalt
AROSMS43



Ratley Stone
AROSMA37

Sloane Concrete
AROSSC37

Broken Bond Bespoke Curve

Neutral Two | Stone

Available to be specified with:

18_{dB} 36⁺



Honed Limestone Natural
AROSLH11



Packwood Stone
AROSSC12



Mirabelle Creme
AROSMB14



Crema Marfil
AROSMF47



Coombe Stone
AROSTE49



Blockley Stone
AROSMA31



Stria Sediment
AROSMS14



Ilmington Stone
AROSSC01



Riverstone Tundra
AROSRS40

* Except Honed Limestone Natural



Blockley Stone
AROSMA31

Broken Bond & Polished Gold Feature Stripping

Cool One | Stone

Available to be specified with:

18_{dB} 36⁺



Shottery Limestone
AROSLK15



Berkswell Stone
AROSMA32



Basilica Shell
AROSBS41



Whitley Stone
AROSMA36



Chatham Concrete
AROSRE33



Kura Caraway
AROSKU38



Deptford Concrete
AROSRE29



Exposed Concrete
AROSEC30



Stria Rock
AROSMS33



Chatham Concrete
AROSRE33

Grand Flagstone DC582

Cool Two | Stone

Available to be specified with:


18_{dB} 36⁺



Onyx Marble
AROSOM30



Worn Concrete
AROSTL39



Cumbrian Slate
AROSL32



Stria Ash
AROSMS13



Kura Anise
AROSKU39



Kentmere Slate
AROSL37



Stria Volcanic
AROSMS42



Kura Opium
AROSKU49



Graphite Slate
AROSL23



Kentmere Slate
AROSL37

Linear Block & Modernist Frame Stripping

Tempus | Stone

Available to be specified with:

18_{dB} 36⁺



Tempus Soothe
AROSTE31



Tempus Harmony
AROSTE41



Tempus Embrace
AROSTE30




Tempus Restore
AROSTE29



Tempus Pause
AROSTE37



Tempus Echo
AROSTE13



Tempus Restore
AROSTE29

Uniform Tile & Graphite Slate Feature Stripping

Marble | Stone

Available to be specified with:

18_{dB} 36⁺



Nero Classic Marble
AROSCA20




Bianca Classic Marble
AROSOM10



Rosa Classic Marble
AROSCA53



Grigio Classic Marble
AROSCA37



Verde Classic Marble
AROSCA87



Tortora Classic Marble
AROSCA44



Tortora Classic Marble
AROSCA44

Broken Bond & Bianca Classic Marble Stripping



Verde Classic Marble
AROSCA87

Herringbone Tile & Woolwich Concrete Stripping

Metal | Colour & Abstract

Available to be specified with:

18_{dB} 36⁺



Grey Burnished Metal
AR0ARH13



Black Burnished Metal
AR0ARH29



Verdigris Burnished Metal
AR0ARH33



Russet Burnished Metal
AR0ARH44



Black Burnished
Metal
AR0ARH29

Uniform Tile



Russet Burnished
Metal
AR0ARH44

Uniform Tile Bespoke



Black Burnished
Metal
AR0ARH29

Available to be specified with:

18_{dB} 36⁺



Trace Kaolin
AROW8390



Trace Scree
AROW8400



Trace Kaolin
AROW8390



Trace Scree
AROW8400



Trace Scree
AROW8400

Stripwood

Modernist | Colour & Abstract

Available to be specified with:

18_{dB} 36⁺



Modernist Spire
AROAMN38



Modernist Frame
AROAMN30



Modernist Vault
AROAMN13



Modernist Vault
AROAMN13

Broken Bond

Colour Edit | Colour & Abstract



Stucco Opaline
AROUC88



Stucco Haze
AROUC40



Diffusion Lux
AR0ADF38



Diffusion Cashew
AR0ADF41



Stucco Mist
AROUC93



Stucco Quartz
AROUC15



Diffusion Chambray
AR0ADF39



Stucco Pebble
AROUC38



Diffusion Malt
AR0ADF44



Stucco Putty
AROUC30



Diffusion Husk
AR0ADF27



Stucco Huckleberry
AROUC92



Diffusion Eve
AR0ADF54



Diffusion Aloe
AR0ADF88



Stucco Clay
AROUC47



Stucco Nutmeg
AROUC89



Stucco Flax
AROUC39



Encaustic Storm
AR0AEN98



Encaustic Okra
AR0AEN18



Encaustic Jasper
AR0AEN45



Stucco Roselle
AROUC51



Stucco Indigo
AROUC91



Diffusion Loam
AR0ADF04



Encaustic Kyanite
AR0AEN83



Stucco Elk
AROUC32

Available to be specified with:

18_{dB} 36⁺




Diffusion Malt
AR0ADF44



Diffusion Chambray
AR0ADF39





Diffusion Cashew
AR0ADF41



Stucco Pebble
AROUC38



Stucco Clay
AROUC47



Bespoke & EP126 Pleat Insert

Spectrum | Colour & Abstract



Napoli
AROACF75



Dublin
AROACF83



Glint Orb
AROAGG11



Sevilla
AROACF64



Helsinki
AROACF90



Glint Void
AROAGG22



Rio
AROACF56



Marrakech
AROACF51



Paris
AROACF92

Available to be specified with:

18dB



Glint Void
AROAGG22

Glint Orb
AROAGG11

Bespoke Pleat



20YR COMMERCIAL
WARRANTY

Create incredible spaces with our laying patterns

Explore our extended range of exclusive laying patterns, crafted to reflect the refined beauty of our Signature products.

Personalise them with your own choice of colours and textures, or select from more than 100 predefined floors in the Designers' Choice Collection.

118 | Designers' Choice
Patterns




Chevron

A timeless pattern with a comforting feel. The proportion and angle of Chevron's planks have been carefully considered to create an elegant pattern with a relaxed sense of directionality.

PLANK SIZE: 87.98 x 457.2 mm


1 Product
EP501

Laying Pattern:




DC528


Designers' Choice




DC501
Clowes Oak




DC527
Buxton Oak




DC528
Henley Oak



DC529
Hackfall Oak



Achieve this floor



Hackfall Oak
AROW8790



Gable Parquet


This mirrored pattern is bold, beautiful and highly useable. Small-scale pieces are reflected in four-part modules, which when laid together, create a beautiful floor that cleverly maximises tonal variety to give the illusion of depth.

DC533, Kura Kala Feature Strippling & Marlow Oak Stripwood

MODULE SIZE: 304.8 x 304.8 mm

1 Product Small
EP503


Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm


1 Product Large
EP504

Laying Pattern:




Designers' Choice


SMALL:




DC503
Wharncliffe Oak




DC533
Marlow Oak



DC534
Worn Oak




DC535
Rotterdam Oak




DC536
Chargot Oak

LARGE:




DC504
Brushed Oak




DC537
Tollymore Oak

Achieve this floor



Worn Oak
AROW7390






Versailles Parquet

Taking direct inspiration from the famous parquetry flooring in the Palace of Versailles, this framed pattern elevates single-colour woods by showcasing their tonal variation and beautiful grain detailing.

MODULE SIZE: 691.1 x 691.1 mm

1 Product
EP505

Laying Pattern:



DC541 & Diffusion Laam Uniform Block

Designers' Choice



DC505
Trevellas Oak



DC541
Hackfall Oak




DC542
Clowes Oak



DC543
Friston Oak



Achieve this floor



Clowes Oak
AROW8650




EP107 Whinlatter Oak, Stripwood Feature Area & Polished Gold Stripping

Large Parquet

Delivering sophistication and performance in equal measure, there's a reason this pattern has endured. Timeless single-colour designs celebrate the varied beauty of woods, while stone and stripping combinations introduce a contemporary edge.


PLANK SIZE: 114.3 x 457.2 mm
1 Product
EP107

Laying Pattern:




PLANK SIZE: 114.3 x 457.2 mm
1 Product with stripping
EP225

Laying Pattern:



Designers' Choice




DC467
Bordeaux Oak




DC520
Berwick Oak



DC521
Buxton Oak




DC522
Golden Oak



DC523
Yarncliff Oak




DC524
Grigio Classic Marble
Modernist Frame (stripping)



DC525
Deptford Concrete
Stucco Putty (stripping)



DC526
Grey Burnished Metal
Polished Copper (stripping)



Achieve this floor

Berwick Oak
AROW8850



EP113 Laughton Oak Feature Area, Stripwood & Feature Stripping


Small Parquet

Small pieces are laid in this timeless parquetry pattern, perfect for emphasising tonal variation and creating fantastic movement across a floor.


PLANK SIZE: 76.2 x 228.6 mm

- 1 Product
EP113
- 2 Products
EP110
- 3 Products
EP112


Laying Pattern:




Designers' Choice




DC337
Aged Oak




DC515
Wharnccliffe Oak




DC516
Marlow Oak



DC517
Hackfall Oak




DC518
Fresh Oak



DC519
York Oak



Achieve this floor



Hackfall Oak
AROW8790

+

Tempus Restore
Feature Stripping




Chantilly Weave

Chantilly Weave is a traditional pattern that draws inspiration from historical parquetry influences, but is still incredibly versatile in its application. Intersecting pieces weave seamlessly to create fantastic movement across a floor.

MODULE SIZE: 457.2 x 457.2 mm

1 Product
EP502

Laying Pattern:



DC539 & Whinlatter Oak Stripwood

Designers' Choice



DC502
Malvern Oak



DC538
Buxton Oak




DC539
Whinlatter Oak



DC540
Aged Oak



Achieve this floor



Aged Oak
AROW7710



Halcyon Pleat

Celebrate the grain of characterful woods in a simple rustic style. Halcyon Pleat is a large-scale chevron pattern that creates a laid-back flow and an artisan feel.

PLANK SIZE: 131.98 x 914.4 mm


1 Product
EP421

Laying Pattern:



EP421 Reclaimed Oak


Designers' Choice




DC423
Rotterdam Oak




DC530
Loughton Oak




DC531
Tollymore Oak



DC532
Whinlatter Oak



Achieve this floor



Whinlatter Oak
AROW8730



Basket Weave


Proportionally balanced Basket Weave is a fine example of Amtico's precision cutting capabilities, with a decorative layering effect that makes it a design classic.

DC544, Mitred Plank Border & Polished Silver Feature Stripping

PLANK SIZES: 76.2 x 304.8 mm
114.3 x 114.3 mm (key)

- 1 Product
EP101
- 2 Products
EP104

Laying Pattern:




Designers' Choice



DC101
Parisian Pine



DC331
Sanctuary Grain



DC544
Buxton Oak




DC545
Henley Oak
Chateau Oak (key)




DC546
Yarncliff Oak
Bordeaux Oak (key)



Achieve this floor



Yarncliff Oak
AROW8800



Bordeaux Oak
AROW8450




French Weave

From a foundation of parquetry, we've adapted classic wood floor geometry for modern day use. Both elegant and robust, French Weave is a crafted, woven pattern with the strength and balance for large spaces.

MODULE SIZE: 609.6 x 609.6 mm

1 Product
EP272

Laying Pattern:



Designers' Choice



DC277
Brushed Oak



DC322
Verbier Oak



DC547
Henley Oak



DC548
Trevellas Oak




DC549
Kirby Oak



DC550
Yarncliff Oak



Achieve this floor



Trevellas Oak
AROW8890



Castel Weave


Inspired by the beauty of traditional parquetry, Castel Weave is designed to champion wood grains and textures.

Rich and indulgent, this pattern can feel either rustic or refined, depending on product choice.

TILE SIZES: 304.8 x 457.2 mm
107.7 x 431.0 mm


1 Product
EP263

Laying Pattern:




DC552 & Henley Oak Plank Border


Designers' Choice



DC266
White Wash Wood




DC317
Farmhouse Oak




DC318
Alpine Oak




DC551
Clowes Oak




DC552
Henley Oak



DC553
Hackfall Oak



Achieve this floor



Clowes Oak
AROW8650

+

Polished Gold
Feature Stripping




DC568 & Cornish Oak Stripwood

Pleat

Pleat is beautiful in its simplicity. With perfectly precise angles and neatly balanced design, this is a contemporary take on traditional parquet.

PLANK SIZE: 114.3 x 457.2 mm
 1 Product
 EP126
 3 Products
 EP127
 5 Products
 EP129

Laying Pattern:



Designers' Choice



DC126
Cornish Oak



DC554
Friston Oak



DC555
Shottery Limestone
Whitley Stone
Berkswell Stone




DC556
Coombe Stone
Woolwich Concrete
Stucco Nutmeg






DC557
Waterloo Concrete
Encaustic Storm
Diffusion Lux
Diffusion Eve
Diffusion Loam



DC558
Diffusion Malt
Encaustic Okra
Shottery Limestone
Diffusion Aloe
Coombe Stone



Achieve this floor

-  Coombe Stone AROSTE49
-  Woolwich Concrete AROSRE31
-  Stucco Nutmeg AROAUC89



Random Plank

Featuring three different plank sizes, Random Plank cleverly splices single-colour woods to create floors with lovely tonal variety and a real sense of movement.

PLANK SIZES: 76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm

1 Product Small
EP515

Laying Pattern:



PLANK SIZES: 76.2 x 914.4 mm
152.4 x 914.4 mm
228.6 x 914.4 mm


1 Product Large
EP525

Laying Pattern:




DC627


Designers' Choice



DC626
Darley Oak




DC627
Berwick Oak



DC628
Hamsterley Oak



Achieve this floor



Darley Oak
AROW8710




Gatsby Square

Gatsby Square's angular shapes create a bold pattern that can hold its own in large spaces, or beautifully isolate feature areas. This pattern works wonderfully in modern hospitality and retail environments.


MODULE SIZE: 304.8 x 304.8 mm
2 Products Small
EP510

Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm
2 Products Large
EP511

Laying Pattern:



DC571 & Stucco Pebble Uniform Tile Perimeter

Designers' Choice

SMALL:




DC510
Deptford Concrete
Diffusion Loam



DC567
Encaustic Kyanite
Diffusion Eve



DC568
Stucco Haze
Stucco Opaline




DC569
Diffusion Husk
Diffusion Cashew




DC570
Onyx Marble
Nero Classic Marble

LARGE:



DC511
Onyx Marble
Grigio Classic Marble




DC571
Encaustic Kyanite
Stucco Pebble



Achieve this floor



Onyx Marble
AROSOM30



Grigio Classic Marble
AGOSCA37




Large Flagstone

An enduring stone pattern, Flagstone's elegant combination of rectangular and square tiles elevates spaces with its familiar weighty geometries.

TILE SIZES: 152.4 x 152.4 mm
 152.4 x 304.8 mm
 304.8 x 304.8 mm
 152.4 x 457.2 mm
 304.8 x 457.2 mm
 457.2 x 457.2 mm


1 Product Large with stripping
 EP137

Laying Pattern:



DC577


Designers' Choice



DC576
 Wilmcote Limestone
 Stucco Putty (stripping)



DC577
 Modernist Spire
 Stria Volcanic (stripping)




DC578
 Kura Kala
 Exposed Concrete (stripping)



DC579
 Kentmere Slate
 Stucco Putty (stripping)



Achieve this floor



Kentmere Slate
 AROSSL37

+

Stucco Putty
 Stripping



DC583, Concrete Pale Divider Strip & Kura Anise Broken Bond Field


Extra Large & Grand Flagstone

Flood a space with Extra Large & Grand Flagstone. By using varied tile sizes in a non-modular repeat, these two large-scale patterns have been designed to flow effortlessly, for a practical solution in large-volume areas.

TILE SIZES: 450.85 x 679.45 mm
 450.85 x 450.85 mm
 222.25 x 450.85 mm
 222.25 x 222.25 mm
 6.35 x 914.4 mm (stripping)

1 Product with stripping Extra Large EP512


Laying Pattern:



TILE SIZES: 603.25 x 908.05 mm
 603.25 x 603.25 mm
 298.45 x 603.25 mm
 298.45 x 298.45 mm
 6.35 x 914.4 mm (stripping)


1 Product with stripping Grand EP513

Laying Pattern:



Designers' Choice

EXTRA LARGE:



DC512
 Shottery Limestone
 Woolwich Concrete (stripping)




DC580
 Whitley Stone
 Modernist Frame (stripping)



DC581
 Modernist Frame
 Diffusion Husk (stripping)

GRAND:



DC513
 Berkswell Stone
 Stucco Putty (stripping)



DC582
 Chatham Concrete
 Tyne Concrete (stripping)



DC583
 Kura Anise
 Concrete Pale (stripping)



Achieve this floor

Modernist Frame AROAMN30

+

Diffusion Husk Stripping




Random Stone

Its ability to throw unbroken lines across a space makes Random Stone sympathetic to a variety of architectural styles. Highly useable, this pattern works hard in shopping centre circulation areas, airports and other vast spaces.

TILE SIZES: 152.4 x 457.2 mm
 228.6 x 457.2 mm
 304.8 x 457.2 mm

1 Product with stripping
 EP179

Laying Pattern:



DC574

Designers' Choice



DC362
 Tempus Pause
 Modernist Vault (stripping)



DC572
 Shottery Limestone
 Woolwich Concrete (stripping)



DC573
 Coombe Stone
 Stria Basalt (stripping)



DC574
 Whitley Stone
 Berkswell Stone (stripping)



DC575
 Kentmere Slate
 Stucco Putty (stripping)



Achieve this floor



Shottery Limestone
 AROSLK15

+

Woolwich Concrete
 Stripping



DC593 & Nero Classic Marble Uniform Tile


Key Stone Small

Unashamedly influenced by Victorian style, Key Stone is an iconic pattern that delivers timeless elegance and classic geometry.

TILE SIZES: 304.8 x 304.8 mm
63.5 x 63.5 mm (key)

2 Products Small
EP514

Laying Pattern:



Designers' Choice




DC514
Shottery Limestone
Sloane Concrete (key)



DC593
Bianca Classic Marble
Nero Classic Marble (key)



DC594
Waterloo Concrete
Diffusion Aloe (key)



Achieve this floor




Waterloo Concrete
AROSSC10



Diffusion Aloe
AROADF88

+ Field



Yarncliff Oak
AROW8800
Stripwood

+

Diffusion Aloe
Feature Strippling



DC592, Woolwich Concrete Perimeter, Encaustic Storm Feature Stripping & Hamsterley Oak Stripwood

Key Stone Mini


At a smaller scale, Key Stone Mini still retains the essence of a classic ceramic floor, whilst making bolder statements through heritage colour palettes or contemporary colour combinations.

TILE SIZES: 152.4 x 152.4 mm
50.8 x 50.8 mm (key)


2 Products
EP305

3 Products
EP309


Laying Pattern:



Designers' Choice




DC587
Onyx Marble
Tempus Embrace (key)



DC588
Nero Classic Marble
Onyx Marble (key)



DC589
Waterloo Concrete
Stucco Haze (key)



DC590
Stucco Quartz
Stucco Flax (key)




DC591
Diffusion Husk
Stucco Mist
Stucco Roselle (key)




DC592
Woolwich Concrete
Tyne Concrete
Encaustic Storm (key)



Achieve this floor

 Onyx Marble
AROAOM30

 Tempus Embrace
AROSTE30




DC598 & Hamsterley Oak Stripwood

Check

Check is a timeless pattern that works brilliantly across any space. Choose classic monochrome or opt for a bolder, brighter ceramic feel with our fresh new colour combinations.

TILE SIZES: 152.4 x 152.4 mm
 2 Products
 EP299
 3 Products
 EP303

Laying Pattern:



Designers' Choice



DC595
 Sloane Concrete
 Packwood Stone



DC596
 Diffusion Loam
 Waterloo Concrete



DC597
 Diffusion Chambray
 Stucco Opaline
 Stucco Haze



DC598
 Encaustic Okra
 Stucco Opaline
 Diffusion Aloe



Achieve this floor




Diffusion Loam
 AROADF04



Waterloo Concrete
 AROSSC10

+ Field



Berwick Oak
 AROW8850
 Stripwood

+

Polished Gold
 Feature Stripping



Frame


Modern and architectural, Frame is a contemporary take on a familiar flagstone. This balanced mid-scale pattern offers new opportunities for designing big spaces.

MODULE SIZES: 609.6 x 914.4 mm (module)
 201.4 x 455.4 mm (tile)
 404.6 x 914.4 mm (tile)
 3.2 x 914.4 mm (stripping)

1 Product with stripping
 EP405

3 Products with stripping
 EP407

Laying Pattern:




DC584

Designers' Choice



DC407
 Tempus Soothe
 Tempus Harmony
 Tempus Embrace
 Tempus Soothe (stripping)



DC584
 Nero Classic Marble
 Cirrus Air (stripping)



DC585
 Woolwich Concrete
 Stria Basalt (stripping)



DC586
 Chatham Concrete
 Tyne Concrete
 Deptford Concrete
 Modernist Frame (stripping)



Achieve this floor



Chatham Concrete
 AROSRE33



Tyne Concrete
 AROSRE30



Deptford Concrete
 AROSRE29

+

Modernist Frame
 Stripping



DC600, Kirby Oak Field & Stucco Putty Feature Stripping


Polygon Key Mini

A bold geometric pattern with a strong ceramic aesthetic, Polygon Key Mini has been designed to designate beautiful focal points and feature areas.


TILE SIZES: 114.3 x 228.6 mm
80.77 x 80.77 mm

3 Products
EP461

Laying Pattern:



Designers' Choice



DC599
Stucco Nutmeg
Diffusion Husk (key)
Coombe Stone



DC600
Berkswell Stone
Stucco Putty (key)
Stria Rock



DC601
Diffusion Chambray
Diffusion Lux (key)
Shottery Limestone



DC602
Grigio Classic Marble
Rosa Classic Marble (key)
Bianca Classic Marble



Achieve this floor



Diffusion Chambray
AROADF39



Diffusion Lux
AROADF38



Shottery Limestone
AROSLK15

+

Diffusion Chambray
Feature Stripping




DC563 & Onyx Marble Uniform Tile Field

Lune

Achieve bold and beautiful zoning solutions with the circular geometries of Lune. Available in a selection of neutral and contemporary stone combinations, Lune is designed to work as a feature area amongst a field of complementary stone, to create chic areas of interest.


MODULE SIZE: 228.6 x 228.6 mm
2 Products Small
EP506

Laying Pattern:




MODULE SIZE: 457.2 x 457.2 mm
2 Products Large
EP507

Laying Pattern:



Designers' Choice

SMALL:




DC506
Bianca Classic Marble
Nero Classic Marble




DC559
Waterloo Concrete
Stucco Haze



DC560
Stucco Flax
Stucco Haze



DC561
Stucco Clay
Diffusion Cashew



DC562
Diffusion Lux
Stucco Opaline

LARGE:



DC507
Bianca Classic Marble
Verde Classic Marble



DC563
Grigio Classic Marble
Onyx Marble



Achieve this floor



Waterloo Concrete
AROSSC10



Stucco Haze
AROauc40




DC509 & Tempus Embrace Uniform Block Field

Arc

Rows of oscillating semi-circles create a fantastic pattern that's full of life and movement. This on-trend pattern provides a perfect solution for zoning or wayfinding.


MODULE SIZE: 152.4 x 304.8 mm
3 Products Small
EP508

Laying Pattern:



MODULE SIZE: 304.8 x 609.6 mm
3 Products Large
EP509

Laying Pattern:




Designers' Choice

SMALL:



DC508
Tempus Harmony
Waterloo Concrete
Tempus Embrace



DC564
Onyx Marble
Tempus Embrace
Tempus Soothe



DC565
Diffusion Chambray
Diffusion Lux
Stucco Opaline

LARGE:



DC509
Tempus Soothe
Tempus Embrace Concrete
Tempus Pause




DC566
Grigio Classic Marble
Onyx Marble
Nero Classic Marble




Achieve this floor



Onyx Marble
AROSOM30



Tempus Embrace
AROSTE30



Tempus Soothe
AROSTE31

Create your Signature style




Tortora Classic Marble Broken Bond & Bianca Marble Stripping

Choose from our unrivalled range of designs to create your Signature style.


Pick any of our standard planks and tiles in one colour and size to create simple elegance, or use imaginative combinations of colours and sizes to create floors that deliver real impact.

These are just a few examples, discover more at:


[amtico.com/commercial/laying-patterns](https://www.amtico.com/commercial/laying-patterns)



Herringbone Tile




Stripwood




Broken Bond



Uniform Tile



Uniform Block



Deckblock



Tay Oak - Stripwood

Projects

Lee & Thompson



Location: Fitzrovia, UK
Sector: Office
Products & Laying Patterns:
Basilica Salt, Kura Opium & Kura
Caraway - Key Stone Mini EP309
Brushed Oak - French Weave DC277



Laufsteg

Location: Augsburg, Germany
Sector: Retail
Products & Laying Patterns:
Stucco Clay, Stucco Putty &
Stucco Quartz - Bespoke
Tempus Soothe & Stucco
Pebble - Key Stone Small EP514





Ramside Hall Hotel

Location: Durham, UK
Sector: Hospitality & Leisure
Products & Laying Patterns:
Reclaimed Oak - Castel Weave
EP263



Collaborative Space, Ávoris Headquarters

Location: Palma de Mallorca, Spain
Sector: Office
Products & Laying Patterns:
Stucco Indigo, Stucco Clay,
Modernist Vault & Stucco
Quartz - Bespoke
Tempus Soothe - Stripwood



Image credits: CMV architects
Photographer: Juan Giribe

Bespoke

Begin with your imagination

Bold, creative and beautiful – a bespoke floor is the ultimate design statement. Thanks to our advanced manufacturing capabilities, our R&D and Design teams can work from a simple sketch, a colour swatch or even a sample material to transform your unique vision into reality.




Laurent Sailla

The French artist Laurent Sailla recently collaborated with us at EquipHotel.

The artist allowed our design department to create some of his work, using our custom cutting techniques and versatile colour palettes to illustrate our extraordinary high-performance flooring; versatile enough to transform any space.





How we turn your ideas into reality

Whether you're looking for a unique product or a completely bespoke floor design, bring us your creative inspiration and we will work with you to achieve your vision.

Our CAD Team

Amtico's highly-skilled CAD team turn your product selection and layout into something our design and manufacturing experts can make a reality. Designs change and grow as we work with them, so the drawing approval process is collaborative, expertly managed through your Amtico Commercial Project Specialist, ensuring that the final floor meets your unique design vision.

Cutting

Amtico is renowned for its advanced finishing techniques. Over 50 years of manufacturing expertise means we can add the fine detail to your big ideas, creating bespoke shapes and products that no-one else can.

Installation

Our quality team test lays every bespoke design floor in our UK factory before shipping, to check for accuracy.

This crucial part of the process means you can rely on Amtico flooring to fit first time and meet your project deadlines, even with the most intricate design.

Find out more at: [amtico.com/commercial/collections/bespoke/](https://www.amtico.com/commercial/collections/bespoke/)

Stripping

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping. Available in a choice of five sizes.

Feature stripping is available in the following sizes, 2 mm thickness*



Dark Walnut
AROW7700



Woolwich Concrete
AROSRE31



Cirrus Air
AROW8100



Stucco Putty
AROAUC30



Stria Volcanic
AROSMS42



Deptford Concrete
AROSRE29



Polished Silver**
AROAPL32



Pure Plain Black
AROAPN22



Ashdown Oak
AROW8680



Wild Walnut
AROW7620



Mirabelle Creme
AROSMB14



Stria Basalt
AROSMS43



Concrete Pale
AROSCN30



Modernist Frame
AROAMN30



Polished Copper**
AROAPL45



Polished Gold**
AROAPL78



19.1 mm x 914.4 mm



12.7 mm x 914.4 mm



9.5 mm x 914.4 mm



6.4 mm x 914.4 mm



3.2 mm x 914.4 mm

This is a small representation of available feature stripping, for full stripping availability please visit amtico.com/commercial/stripping-motifs-and-borders/

















DC526

*Sizes shown are not actual size.
** Straight Grain only
Acoustic backing is not available on stripping

Borders






Simple or elaborate, Art Deco or Gothic, define a floor with an Amtico border.

 <p>Square Border AROB6200 25.4 mm x 889.0 mm Corner AROC62S0</p>	 <p>Metro Border AROB6600 57.2 mm x 914.4 mm</p>	 <p>Pyramid Border AROB6000 50.8 mm x 914.4 mm Corner AROC60S0</p>	 <p>Pinstripe Fine Border AROB4001 88.9 mm x 914.4 mm Corner AROC4001</p>
 <p>Piping Border AROB6400 12.7 mm x 914.4 mm</p>	 <p>Broad Stripe Border AROB6500 50.8 mm x 914.4 mm Corner AROC65S0</p>	 <p>Deco Pleat Border AROB680B 88.9 mm x 914.4 mm Corner AROC68SB</p>	 <p>Pinstripe Medium Border AROB4002 88.9 mm x 914.4 mm Corner AROC4002</p>
 <p>Offset Stripe Border AROB7000 38.1 mm x 914.4 mm</p>	 <p>Gothic Arch Border AROB670B 101.6 mm x 914.4 mm Corner AROC67SB</p>	 <p>Mondrian Border AROB7400 76.2 mm x 914.4 mm Corner AROC74A0</p>	 <p>Pinstripe Bold Border AROB4000 88.9 mm x 914.4 mm Corner AROC4001</p>
 <p>Bevelled Diamond Border AROB270B 76.2 mm x 914.4 mm Corner AROC27SB</p>	 <p>Art Deco Border AROB5100 88.9 mm x 914.4 mm Corner AROC51S0</p>		


For our full range of borders please visit amtico.com/commercial/stripping-motifs-and-borders/
Sizes shown are not actual size.

Motifs

Bring a focal point and individuality to a space with a Signature motif.

 <p>Small Star AR0MC300 Products Shown: Chiltern Oak Wilverley Oak Wharf Oak Tempus Restore Diameter 609.6 mm</p>	 <p>Apollo AR0MC230 Products Shown: Onyx Marble Grigio Classic Marble Diameter 889.0 mm</p>	 <p>Constellation AR0MC210 Products Shown: Clowes Oak Wharnccliffe Oak Diameter 889.0 mm</p>
 <p>Lotus AR0MC400 Products Shown: Cornish Oak Rotterdam Oak Fumed Oak Brushed Oak Diameter 914.4 mm</p>	 <p>Octavia Large AR0MC600 Products Shown: Onyx Marble Stucco Pebble Graphite Slate Diameter 1676.4 mm</p>	<p>Also Available as:</p> <p>Octavia Small AR0MC500 Products Shown: Onyx Marble Stucco Pebble Graphite Slate Diameter 838.2 mm</p>

For our full range of motifs please visit amtico.com/commercial/stripping-motifs-and-borders/
Sizes shown are not actual size.



Making flooring fit for the future

amtico bio

Specify Amtico Bio

Now available across the Signature collection, Amtico Bio is our first bio-attributed LVT flooring. Bio-attributed PVC, from renewable biomass sources, saves over 90% of the CO₂ during its manufacture compared to PVC made from fossil fuels. Amtico Bio uses bio-attributed PVC, offering the same performance and finish with a reduced carbon footprint.

Carefully selected and audited sources of renewable biomass are used to create the ethylene which is converted into our bio-attributed PVC. This includes sources such as crude tall oil (CTO) or used cooking oil (UCO), with traceability guaranteed throughout every stage via our ISCC Plus accreditation.

Available to specify with 61% bio-attributed content on all standard planks & tiles and patterns.*

*Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.



SPECIFY AMTICO BIO FOR A LOWER CARBON FOOTPRINT

36+ slip resistant planks and tiles


Safety flooring with design sophistication

UK manufactured with the same extraordinary design philosophy that defines Amtico Signature, Signature 36+ delivers sustainable slip resistance and meets the requirements of the enhanced slip standard, but with the enhanced design possibilities of LVT planks and tiles.

For more information please visit amtico.com/safety-flooring

36⁺

Please note that the surface texture on Signature 36+ products differs from standard Signature products due to the inclusion of slip-resistant particles.



Halo Pine - Large Parquet



What silence looks like

Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of comfort underfoot. Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.



AMTICO ACOUSTIC



SOUND REDUCTION

The closed cell 1 mm foam layer reduces impact sound transmission by up to 18 dB.



LOW FATIGUE

The closed cell foam structure can help increase comfort and reduce fatigue in high-traffic areas.



Union Oak - Stripwood


Antimicrobial Protection

Amtico Signature products are specified as standard with integral antimicrobial protection.

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

Under independent tests this additive in our product has been proven to reduce bacteria growth by >99.9% over 24 hours when compared with an identical control without the additive. All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.



Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction after 24 hours compared to an untreated control, and a reduction of >99.9% against the initial inoculation.



Tempus Echo, Tempus Pause & Modernist Frame Stripping - Bespoke

Product Availability / Stone

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles								Straight Grain Planks				Cross Grain					Design Options					
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns
Basilica Salt	AR0SBS12	Ceramic	Standard	*	*	*	*	*	*	*	*											*	*	*	*	*
Basilica Shell	AR0SBS41	Ceramic	Standard	*	*	*	*	*	*	*	*											*	*	*	*	*
Berkswell Stone	AR0SMA32	Ceramic	Standard			*		*	*	*	*											*	*	*	*	*
Bianca Classic Marble	AR0SOM10	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Blockley Stone	AR0SMA31	Ceramic	Standard			*		*	*	*	*											*	*	*	*	*
Chatham Concrete	AR0SRE33	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Coombe Stone	AR0STE49	Ceramic	Standard	*	*	*	*	*	*	*	*											*	*	*	*	*
Crema Marfil	AR0SMF47	Ceramic	Standard	*	*	*	*	*	*	*	*											*	*	*	*	*
Cumbrian Slate	AR0SSL32	Ceramic	Standard	*	*	*	*	*	*	*	*											*	*	*	*	*
Deptford Concrete	AR0SRE29	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Exposed Concrete	AR0SEC30	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Graphite Slate	AR0SSL23	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Grigio Classic Marble	AR0SCA37	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Honed Limestone Natural	AR0SLH11	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Ilmington Stone	AR0SSC01	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Kentmere Slate	AR0SSL37	Riven Marble	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Kura Anise	AR0SKU39	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Kura Caraway	AR0SKU38	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Kura Kala	AR0SKU31	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Kura Opium	AR0SKU49	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Mirabelle Creme	AR0SMB14	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Nero Classic Marble	AR0SCA20	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Onyx Marble	AR0SOM30	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Packwood Stone	AR0SSC12	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Ratley Stone	AR0SMA37	Ceramic	Standard			*		*	*	*	*	*	*									*	*	*	*	*
Riverstone Tundra	AR0SRS40	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Rosa Classic Marble	AR0SCA53	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Shottery Limestone	AR0SLK15	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Sloane Concrete	AR0SSC37	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Stria Ash	AR0SMS13	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Stria Basalt	AR0SMS43	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Stria Rock	AR0SMS33	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Stria Sediment	AR0SMS14	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Stria Volcanic	AR0SMS42	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tempus Echo	AR0STE13	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tempus Embrace	AR0STE30	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tempus Harmony	AR0STE41	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tempus Pause	AR0STE37	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*

Product Availability / Stone

Size & Specification

Product Name	Product code	Surface Textures	Price Point	Straight Grain Tiles								Straight Grain Planks				Cross Grain					Design Options					
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns
Tempus Restore	AR0STE29	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tempus Soothe	AR0STE31	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tortora Classic Marble	AR0SCA44	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Tyne Concrete	AR0SRE30	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Verde Classic Marble	AR0SCA87	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Waterloo Concrete	AR0SSC10	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Whitley Stone	AR0SMA36	Ceramic	Standard			*		*	*	*	*	*	*									*	*	*	*	*
Wilmcote Limestone	AR0SLS44	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Woolwich Concrete	AR0SRE31	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Worn Concrete	AR0STL39	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality - design, manufacturing, product and service.

	<p>Amtico Signature has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.</p>		<p>Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.</p>		<p>The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).</p>
	<p>Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.</p>		<p>The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).</p>		<p>Amtico Signature products are manufactured using both ortho-phthalate-free and bio-based plasticisers.</p>
	<p>Our quality system complies with BS EN ISO 9001 and is certified by LRQA.</p>		<p>Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.</p>		<p>Amtico Signature complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.</p>
	<p>Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.</p>		<p>Amtico products comply with BSI ISO 14001 environmental standards</p>		

amtico
flooring

Amtico UK & European Sales

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico International Sucursal En España

Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

Amtico International Germany

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
+49 (0) 211 361 155 0
info@amtico.de

Amtico International France

36 Avenue Hoche
75008 Paris, France
+33 (0) 1 55 38 95 70
info@amtico.fr

Amtico International Scandinavia

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, HK
+852 2327 7703
samples@amtico.com

Amtico International Middle East, Africa & India

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand

Unit 1, 40 Mill Street,
Yarrabilba 4207
Australia
australia.customerservice@amtico.com

amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of printing.

amtico
flooring

amtico.com