


amtico
spacia



Beautifully
simple

In stock & ready when you are
0.55 mm wear layer


Spacia



BRITISH
MANUFACTURING
EXPERTISE

Beautifully simple	04
Planks & Tiles	10
Parquet	12
Wood	14
Stone	42
Simple Patterns	56
Stripping	58
Projects	60
Performance	72
Product Availability	74
Accreditations	76

Contents



Beautifully
simple

Introducing Spacia: a collection that's beautifully simple to work with. Featuring impactful wood and stone designs, Spacia easily blends contemporary appeal with the durability necessary for any commercial space. For LVT flooring that delivers every single time, whether you're aiming for sleek modernity or classic charm, Spacia simply works.



COMMERCIAL WARRANTY

Spacia

0.55 mm

WEAR LAYER

The wear layer in Spacia ensures excellent impact resistance and high clarity, making it ideal for high-traffic areas that demand both performance and style.



AMTICO ACOUSTIC

Acoustic backing can be specified on standard planks & tiles and laying patterns without stripping.



AMTICO SAFETY

Spacia can be specified with Amtico Safety, offering enhanced slip resistance for any commercial space where safety is paramount.



ANTIMICROBIAL PROTECTION

Spacia's antimicrobial properties provide an extra layer of protection, actively reducing bacteria by more than 99% within 24 hours compared to untreated polyethylene surfaces.*

*See page 72 for more information.



AMTICO BIO

Available to specify with 42% bio-attributed content on all standard planks & tiles.



140

PARQUET
OPTIONS

Any of our Spacia wood products can be laid in any of our Spacia laying patterns, including parquet. This unlocks 140 parquet options: a level of versatility no competitor can match.



BRITISH
MANUFACTURING
EXPERTISE

Over 60 years
of LVT innovation
& expertise.



DRYBACK
LVT

High-quality glue-down vinyl flooring that's designed for long-lasting durability and style.

Amtico Spacia's wood and stone collections are designed with careful attention to detail, capturing the authentic beauty of natural materials. Each wood plank and stone tile is crafted to harmonise with the next, ensuring a cohesive look with even greater style and simplicity.

ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.



Fontana Marble Black & Fontana Marble White - Uniform Tile



Birchfield Oak - Stripwood

Spacia helps simplify specification by streamlining how you choose planks and tiles. Every one of our wood designs is available in every plank size, empowering you to use any design in any of our laying patterns, including parquet. Our stone collection follows the same approach, making it even easier to create cohesive, distinctive interiors.

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.



184.2 x 1219.2 mm




101.6 x 914.4 mm



914.4 x 914.4 mm



457.2 x 457.2 mm



304.8 x 457.2 mm




609.6 x 914.4 mm




Planks & Tiles

Timeless and classic, parquet remains a favourite again and again. Our updated Spacia collection is the biggest ever - 140 options across two sizes - small and large.



Small Parquet

Plank size:
76.2 x 228.6 mm



Large Parquet

Plank size:
101.6 x 457.2 mm



For Parquet your way





NOW

Cool

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio



Available in Small
& Large Parquet

White Oak
SS5W2548

White Ash
SS5W2540

Nordic Oak
SS5W2550

Coastal Pine
SS5W3029

Weathered Oak
SS5W2524





Chalked Oak - Large Parquet SP239 & single plank border

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Iced Oak
SS5W3310



Chalked Oak
SS5W1350



Credenza Oak
SS5W3035



Sash Oak
SS5W3032



Dusky Walnut
SS5W2542



Salvaged Timber

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio



Available in Small
& Large Parquet

**Cove Salvaged
Timber**
SS5W1340

**Washed Salvaged
Timber**
SS5W3322

**Urban Salvaged
Timber**
SS5W3323



ORDER FREE SAMPLES

Explore designs, hues
and textures with our
tactile sample swatches.



Neutral

ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small & Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Clifton Oak
SS5W1040

Powdered Oak
SS5W3311

Muted Oak
SS5W3312

Worn Ash
SS5W2539

Dry Cedar
SS5W2535

Tidewood Oak
SS5W1050

Bude Oak
SS5W1110

Lyndhurst Oak
SS5W1070

Featured Oak
SS5W2533

Windsor Oak
SS5W1260





Neutral

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio



Available in Small
& Large Parquet

Oyster Oak
SS5W1090

Blanched Oak
SS5W1360

Sauntan Oak
SS5W1190

Sun Bleached Oak
SS5W2531

Hampton Oak
SS5W3031



Blanched Oak - Boardwalk



Harrier Oak - Stripwood

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small & Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Birchfield Oak
SS5W1100



Dawlish Oak
SS5W1200



Cabin Timber
SS5W1160



Harrier Oak
SS5W1380



Lodge Oak
SS5W1170



Neutral

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio



Available in Small
& Large Parquet

Tailor Oak
SS5W1280

Milliner Oak
SS5W1290

Wilton Oak
SS5W1060

Mulled Oak
SS5W3313

Saddler Oak
SS5W1240



Milliner Oak - Stripwood



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small & Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Langford Oak

SS5W1130

Wenlock Oak

SS5W1080

Noble Oak

SS5W3030

Brewer Oak

SS5W1270

Tanner Oak

SS5W1250



Golden

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small & Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Stowe Oak
SS5W1120

Bexley Oak
SS5W1320

Grove Oak
SS5W1220

Tetbury Oak
SS5W1300

Craft Oak
SS5W1210

Hartland Oak
SS5W1180

Westmere Oak
SS5W1330

Carmel Oak
SS5W1150

Alverton Oak
SS5W1310

Guild Oak
SS5W1230





Warm

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio



Available in Small
& Large Parquet


Kew Oak
SS5W1390

Pale Ash
SS5W2518

Sherwood Oak
SS5W2532

New England Oak
SS5W2527

Royal Oak
SS5W2530





PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio


Eden Oak
SS5W1010



Smoothbark Hickory
SS5W2545



Honey Oak
SS5W2504



Traditional Oak
SS5W2514



Black Walnut
SS5W2534





e
 r
 o
 t
 s

Apple, Vanilla & Chia
Bircher Muesli **10**
 Spiced Beef Pancake **10**
 Scram & Salmon Cornbread **10**
 Mushroom & Pepper Rago **10**
 Sweet Potato **10**
S O U P



Neutral

TILE SIZES

304.8 x 457.2 mm
 457.2 x 457.2 mm
 609.6 x 914.4 mm
 914.4 x 914.4 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Portico Stone

SS5S4402



Pampas

SS5S2635



Snow

SS5S2628



Monument Concrete

SS5S3072



Temple Stone

SS5S4403



Travertine Grigio

SS5S4404



Century Concrete

SS5S3069




Ceramic Ecu

SS5S3592



Cementa Tate

SS5S4405



Warm

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Agora Limestone

SS5S6114

Forum Stone

SS5S6115

Court Stone

SS5S6116



Draycote Stone

SS5S6117

Travertine Oro

SS5S6119

Dover Stone

SS5S6121



Castello Stone

SS5S6118

Mantle Stone

SS5S6122

Stanton Stone

SS5S1593



Travertine Oro - Broken Bond



Cementa Bilbao - Uniform Tile

Cool

TILE SIZES

304.8 x 457.2 mm
 457.2 x 457.2 mm
 609.6 x 914.4 mm
 914.4 x 914.4 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Abbey Stone

SS5S4570



Plaza Concrete

SS5S3070



Rialto Concrete

SS5S2611



Cementa Bilbao

SS5S4572



Ceramic Flint

SS5S2594



Villa Concrete

SS5S2612




Gallery Concrete

SS5S3071



Fontana Marble Black

SS5S4573



Fontana Marble White

SS5S4574



Terrazzo

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic





Amtico Bio

Como

SS5S2613

Vesper

SS5S2616




Garda

SS5S2614

Paloma

SS5S2615




Amalfi

SS5S2609

Gibson

SS5S2603



ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.







Piazza Montara - Uniform Tile

Piazza

TILE SIZES

- 304.8 x 457.2 mm
- 457.2 x 457.2 mm
- 609.6 x 914.4 mm
- 914.4 x 914.4 mm

STANDARD FEATURES



Commercial Warranty



Antimicrobial Protection

0.55 mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio


Piazza Montara

SS5S2622



Piazza Caldera

SS5S2623




ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.




Simple Patterns


Pick any of our standard planks and tiles in one colour* and size to create impact quickly with simple, timeless pattern options.




Deck Block
Stripping required
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Wicket
Stripping optional
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Linear Block
Stripping optional
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Broken Bond
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm




Uniform Block
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm
101.6 x 914.4 mm
184.2 x 1219.2 mm




Herringbone Tile
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm




Herringbone Plank
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Stripwood
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Boardwalk
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Bonded Stone
Stripping optional
Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Uniform Tile
Stripping optional
Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Checkerboard
Stripping optional
Tile sizes:
457.2 x 457.2 mm

*Except Checkerboard which is two colours.

Stripping

Add contrast & definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them together in one of our timeless patterns.

Stria Basalt AROSMS43



Cementa Tate SS5S4405





Example laid in Uniform Tile with 3.2 mm stripping


Feature stripping is available in the following sizes:*

 3.2 x 914.4 mm	 12.7 x 914.4 mm
 6.4 x 914.4 mm	 19.1 x 914.4 mm
 9.5 x 914.4 mm	

Antico Safety, Acoustic & Bio product enhancements are not available on stripping.

 Dark Walnut AROW7700	 Ashdown Oak AROW8680
 Woolwich Concrete AROSRE31	 Wild Walnut AROW7620
 Cirrus Air AROW8100	 Mirabelle Creme AROSMB14
 Stucco Putty AROAUC30	 Stria Basalt AROSMS43
 Stria Volcanic AROSMS42	 Concrete Pale AROSCN30
 Deptford Concrete AROSRE29	 Modernist Frame AROAMN30
 Polished Silver** AROAPL32	 Polished Copper** AROAPL45
 Pure Plain Black AROAPN22	 Polished Gold** AROAPL78

*Sizes shown are not actual size
**Straight Grain only






Stores for

Restaurant Choice

The White Oak design in a classic Herringbone Plank laying pattern brightens the contemporary interior and gives a Nordic feel to the contemporary restaurant.



SS5W2548
White Oak



Laying pattern
Herringbone Plank



SECTOR

Hospitality & Leisure

LOCATION

Latvia





Meadowhill Care Home, Westgate Healthcare

Amtico Spacia Safety in Featured Oak was used over three floors in this care home and provides an extra level of safety for residents and staff.

SECTOR


Care Homes

LOCATION

UK



SG5W2533
Featured Oak



Laying pattern
Stripwood



Vilnius District Municipality

The striking design detail of curved Pure Plain Black stripping separates out the calm Rialto Concrete and the exciting Amalfi terrazzo.

SECTOR

Office

LOCATION

Lithuania




SS5S2611
Rialto Concrete



SS5S2609
Amalfi

AR0APN22
Pure Plain Black



Laying pattern
Uniform Tile



La Table d'Edouard, ibis Styles Rezé

SECTOR

Hospitality & Leisure

LOCATION

France

This elegant restaurant seamlessly blends style and functionality, with defined yet integrated zones that enhance both guest experience and operational efficiency.




SS5S2635
Pampas




SS5W2527
New England Oak



AROAPL78
Polished Gold




Laying pattern
Uniform Tile



Laying pattern
Herringbone Plank

Designer: D+B INTERIOR DESIGN
Photographer: Samuel Ferdjoui




Quintain Living Luna


Luna from Quintain Living provides residents with a contemporary and ultra-modern home in London. Dusky Walnut was specified in the apartments creating a beautifully elegant finish.



SS5W2542
Dusky Walnut



Laying pattern
Herringbone Plank




SECTOR

Build-to-rent

LOCATION

UK



Performance

Flooring fit for the future.



Specify Amtico Bio

Amtico Bio is our first bio-attributed LVT flooring. It is made with bio-attributed PVC, which replaces fossil fuel feedstocks with more sustainable renewable biomass alternatives. Specifying Amtico Bio reduces the embodied carbon of Amtico LVT by between 20 to 28%,* whilst still offering the same performance and finish.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Spacia is available to specify with 42% bio-attributed content on all standard planks and tiles.

Added protection against bacteria and viruses.



Benefit from Antimicrobial Protection

We add an antimicrobial ionic silver additive to our Quantum Guard Elite PU lacquer that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

This has been independently tested to ISO 22196 and shown to reduce harmful bacteria, including MRSA and E. coli, by over 99.9%** within 24 hours compared to untreated polyethylene surfaces.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.

*Varies by range, see the Amtico Bio brochure for more details.

**ISO 22196 testing demonstrated ≥99.9% reduction of MRSA and E. coli on Quantum Guard Elite PU lacquer within 24 hours compared to untreated polyethylene film. ISO 21702:2019 testing demonstrated an 85.5% reduction of SARS-CoV-2 within 24 hours compared to inert glass. Applies only to Quantum Guard Elite PU lacquer. Contact your Amtico representative for details on Amtico options with the same antimicrobial protection.

What silence looks like.



Specify Amtico Acoustic

Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of comfort underfoot.

Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.


For safety beyond the surface.



Specify Amtico Safety

Most safety floors only have one additional safety layer. Amtico Safety flooring has several layers of safety, design and antimicrobial features.

All of our floors meet the BS EN 13845 Enhanced Slip Standard, taking our commitment to safety, hygiene and design far beyond surface level.



Wood

Product Name	Product Code	Surface Texture	Straight Grain		Laying Patterns			
			1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	Small Parquet (Tick Finish) 76.2 x 228.6 mm (3 x 9")	Small Parquet (Barnwood Finish) 76.2 x 228.6 mm (3 x 9")	Large Parquet (Tick Finish) 101.6 x 457.2 mm (4 x 18")	Large Parquet (Barnwood Finish) 101.6 x 457.2 mm (4 x 18")
Alverton Oak	SS5W1310	Tick	•	•	SP224			SP269
Bexley Oak	SS5W1320	Tick	•	•	SP225			SP270
Birchfield Oak	SS5W1100	Tick	•	•	SP204			SP249
Black Walnut	SS5W2534	Tick	•	•	SP122			SP160
Blanched Oak	SS5W1360	Tick	•	•	SP195			SP240
Brewer Oak	SS5W1270	Barnwood	•	•		SP220		SP265
Bude Oak	SS5W1110	Tick	•	•	SP205			SP250
Cabin Timber	SS5W1160	Barnwood	•	•		SP209		SP254
Carmel Oak	SS5W1150	Tick	•	•	SP208			SP253
Chalked Oak	SS5W1350	Tick	•	•	SP194			SP239
Clifton Oak	SS5W1040	Tick	•	•	SP198			SP243
Coastal Pine	SS5W3029	Barnwood	•	•		SP127		SP165
Cove Salvaged Timber	SS5W1340	Barnwood	•	•		SP193		SP238
Craft Oak	SS5W1210	Tick	•	•	SP214			SP259
Credenza Oak	SS5W3035	Barnwood	•	•		SP177		SP272
Dawlish Oak	SS5W1200	Tick	•	•	SP213			SP258
Dry Cedar	SS5W2535	Barnwood	•	•		SP178		SP273
Dusky Walnut	SS5W2542	Tick	•	•	SP179			SP274
Eden Oak	SS5W1010	Tick	•	•	SP180			SP227
Featured Oak	SS5W2533	Tick / Barnwood	•	•	SP132	SP133		SP170 SP171
Grove Oak	SS5W1220	Tick	•	•	SP215			SP260
Guild Oak	SS5W1230	Tick	•	•	SP216			SP261
Hampton Oak	SS5W3031	Tick	•	•	SP181			SP228
Harrier Oak	SS5W1380	Tick	•	•	SP196			SP241
Hartland Oak	SS5W1180	Tick	•	•	SP211			SP256
Honey Oak	SS5W2504	Tick / Barnwood	•	•	SP128	SP129		SP166 SP167
Iced Oak	SS5W3310	Tick	•	•	SP104			SP140
Kew Oak	SS5W1390	Tick	•	•	SP197			SP242
Langford Oak	SS5W1130	Tick	•	•	SP207			SP252
Lodge Oak	SS5W1170	Barnwood	•	•		SP210		SP255
Lyndhurst Oak	SS5W1070	Tick	•	•	SP201			SP246
Milliner Oak	SS5W1290	Tick	•	•	SP222			SP267
Mulled Oak	SS5W3313	Tick	•	•	SP101			SP137
Muted Oak	SS5W3312	Tick	•	•	SP102			SP138
New England Oak	SS5W2527	Tick / Barnwood	•	•	SP182	SP183		SP229 SP230
Noble Oak	SS5W3030	Tick	•	•	SP121			SP159
Nordic Oak	SS5W2550	Tick / Barnwood	•	•	SP124	SP125		SP162 SP163
Oyster Oak	SS5W1090	Tick	•	•	SP203			SP248
Pale Ash	SS5W2518	Tick	•	•	SP120			SP158
Powdered Oak	SS5W3311	Tick	•	•	SP103			SP139
Royal Oak	SS5W2530	Tick / Barnwood	•	•	SP134	SP135		SP172 SP173
Saddler Oak	SS5W1240	Tick	•	•	SP217			SP262
Sash Oak	SS5W3032	Tick	•	•	SP184			SP231
Saunton Oak	SS5W1190	Tick	•	•	SP212			SP257
Sherwood Oak	SS5W2532	Tick / Barnwood	•	•	SP185	SP186		SP232 SP233
Smoothbark Hickory	SS5W2545	Tick	•	•	SP187			SP234
Stowe Oak	SS5W1120	Tick	•	•	SP206			SP251
Sun Bleached Oak	SS5W2531	Barnwood	•	•		SP126		SP164
Tailor Oak	SS5W1280	Tick	•	•	SP221			SP266
Tanner Oak	SS5W1250	Tick	•	•	SP218			SP263
Tetbury Oak	SS5W1300	Tick	•	•	SP223			SP268
Tidewood Oak	SS5W1050	Tick	•	•	SP199			SP244
Traditional Oak	SS5W2514	Tick / Barnwood	•	•	SP130	SP131		SP168 SP169
Urban Salvaged Timber	SS5W3323	Barnwood	•	•		SP188		SP142
Washed Salvaged Timber	SS5W3322	Barnwood	•	•		SP189		SP141
Weathered Oak	SS5W2524	Barnwood	•	•		SP190		SP235
Wenlock Oak	SS5W1080	Tick	•	•	SP202			SP247
Westmere Oak	SS5W1330	Tick	•	•	SP226			SP271
White Ash	SS5W2540	Barnwood	•	•		SP123		SP161
White Oak	SS5W2548	Tick	•	•	SP191			SP236
Wilton Oak	SS5W1060	Tick	•	•	SP200			SP245
Windsor Oak	SS5W1260	Tick	•	•	SP219			SP264
Worn Ash	SS5W2539	Barnwood	•	•		SP192		SP237

Products are Quantum Guard Elite coated unless stated otherwise, and bevelled as standard. Please note all sizes and availability are correct at the time of publication.

Stone

Product Name	Product Code	Surface Texture	Straight Grain			
			304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")
Abbey Stone	SSSS4570	Ceramic	•	•	•	•
Agora Limestone	SSSS6114	Ceramic	•	•	•	•
Amalfi	SSSS2609	Ceramic	•	•	•	•
Castello Stone	SSSS6118	Ceramic	•	•	•	•
Cementa Bilbao	SSSS4572	Ceramic	•	•	•	•
Cementa Tate	SSSS4405	Ceramic	•	•	•	•
Century Concrete	SSSS3069	Ceramic	•	•	•	•
Ceramic Ecru	SSSS3592	Ceramic	•	•	•	•
Ceramic Flint	SSSS2594	Ceramic	•	•	•	•
Como	SSSS2613	Ceramic	•	•	•	•
Court Stone	SSSS6116	Ceramic	•	•	•	•
Dover Stone	SSSS6121	Ceramic	•	•	•	•
Draycote Stone	SSSS6117	Ceramic	•	•	•	•
Fontana Marble Black	SSSS4573	Ceramic	•	•	•	•
Fontana Marble White	SSSS4574	Ceramic	•	•	•	•
Forum Stone	SSSS6115	Ceramic	•	•	•	•
Gallery Concrete	SSSS3071	Ceramic	•	•	•	•
Garda	SSSS2614	Ceramic	•	•	•	•
Gibson	SSSS2603	Ceramic	•	•	•	•
Mantle Stone	SSSS6122	Ceramic	•	•	•	•
Monument Concrete	SSSS3072	Ceramic	•	•	•	•
Paloma	SSSS2615	Ceramic	•	•	•	•
Pampas	SSSS2635	Ceramic	•	•	•	•
Piazza Caldera	SSSS2623	Ceramic	•	•	•	•
Piazza Montara	SSSS2622	Ceramic	•	•	•	•
Plaza Concrete	SSSS3070	Ceramic	•	•	•	•
Portico Stone	SSSS4402	Ceramic	•	•	•	•
Rialto Concrete	SSSS2611	Ceramic	•	•	•	•
Snow	SSSS2628	Ceramic	•	•	•	•
Stanton Stone	SSSS1593	Ceramic	•	•	•	•
Temple Stone	SSSS4403	Ceramic	•	•	•	•
Travertine Grigio	SSSS4404	Ceramic	•	•	•	•
Travertine Oro	SSSS6119	Ceramic	•	•	•	•
Vesper	SSSS2616	Ceramic	•	•	•	•
Villa Concrete	SSSS2612	Ceramic	•	•	•	•

Products are Quantum Guard Elite coated unless stated otherwise, and bevelled as standard. Please note all sizes and availability are correct at the time of publication.

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

TECHNICAL INFORMATION

View all the technical, installation and maintenance details.



The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).



In the UK, Amtico has partnered with the Dementia Service Development Centre (DSDC) to review and accredit our flooring collections to help people with (or caring for those with) dementia to live well.



Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.



Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.



Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.



Our quality system complies with BS EN ISO 9001 and is certified by LRQA.



Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.



Amtico products are manufactured within ISO14001 compliant facilities.



ORTHO-PHTHALATE FREE

Amtico Spacia products are manufactured using ortho-phthalate free plasticisers.



Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.



Amtico International GmbH is a member of the DGNB German Sustainable Building Council.



Amtico Spacia products have been UPEC classified, therefore complying with the UPEC classification.

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of publication.



Amtico UK & European Sales
Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico Head Office
Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

**Amtico International
Germany**
Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361 155 0
info@amtico.de

**Amtico International
France**
36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

**Amtico International
Scandinavia**
S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

**Amtico International
Sucursal En España**
Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico International Asia
Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**
8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

**Amtico International Pty Ltd
Australia & New Zealand**
Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com